

11.0 References

- A. Strauss-Wieder, Inc. The Economic Analysis of the New York-New Jersey Port/Maritime Industry. 2010. October 2011. <http://www.panynj.gov/about/pdf/port-economic-impact-2011.pdf>. Accessed August 1, 2014.
- AAPA (American Association of Port Authorities). 2011. World Port Rankings 2011. Online at: <http://aapa.files.cms-plus.com/PDFs/WORLD%20PORT%20RANKINGS%202011.pdf> Accessed 12 September 2013.
- ABS Consulting, Inc. 2004. Consequence Assessment Methods for Incidents Involving Releases from Liquefied Natural Gas Carriers. May 13, 2004. Prepared for the Federal Energy Regulatory Commission, Washington, D.C. under Contract No. FERC04C4O196. pp. 29039. Online at <http://utilityregulation.com/content/reports/O4FERCLNGrpt.pdf>
- Acevedo-Gutiérrez, A., Croll, D. A. & Tershy, B. R. 2002. High feeding costs limit dive time in the largest whales. *Journal of Experimental Biology*, 205, 1747-1753.
- AECOM 2012. Environmental Evaluation Topic Report 4, Appendix C – January-February 2012 Environmental Survey Report for the Port Ambrose Deepwater Port License Application. 60 p.
- AECOM. 2014. National Pollution Discharge Elimination System (NPDES) Permit Application, Prepared for Liberty Natural Gas LLC
- ÅF Industry AB and SSPA Sweden AB. 2011. North European LNG Infrastructure Report Project: A Feasibility Study for an LNG Filling Station Infrastructure and Test of Recommendations. Draft Feasibility Report Appendix J Safety Aspects/Risk Assessment.
- Alerstam, T., A. Hedenstrom, and S. Akesson. 2003. Long-distance migration: evolution and determinants. *Oikos* 103:247-260.
- American Ornithologists' Union. 1998. The AOU Check-List of North American Birds (7th ed., pp. 829). Washington, DC: American Ornithologists' Union. Retrieved from <http://www.aou.org/checklist/north/print.php>.
- American Princess Cruises. 2013. American Princess Cruises Website. Accessed September 2013 at <http://www.americanprincesscruises.com/index.htm>
- Andrews, J. C. & Mott, P. R. 1967. Gray seals at Nantucket, Massachusetts. *Journal of Mammalogy*, 48(4), 657-658.
- APL Norway AS. 2012. Mooring System-Design Brief. Report Prepared for Liberty Natural Gas LLC
- Appeltans, W., Bouchet, P., Boxshall, G. A., Fauchald, K., Gordon, D. P., Hoeksema, B. W., Poore, G. C. B., van Soest, R. W. M., Stöhr, S., Walter, T. C. & Costello, M. J. 2010. *World Register of Marine Species*. [Web Page]. Retrieved from <http://www.marinespecies.org/index.php> as accessed on 6 September 2010.
- Arai, T. and Chino, N. 2012. Diverse migration strategy between freshwater and seawater habitats in the freshwater eel genus *Anguilla*. *Journal of Fish Biology*, 81(2), 442-455. doi: 10.1111/j.1095-8649.2012.03353.x
- Artemov, Yu.G., J. Greinert, D. McGinnis, M. De Batist and V.N. Egorov. 2005. Geophysical Research Abstracts, Vol. 7, 01361, SRef-ID: 1607-7962/gra/EGU05-A-01361

- ASA. 2005. Galagan, C. and Isaji, T. Sediment Transport Study for Northeast Gateway Pipeline Lateral Project in Massachusetts Bay. Draft Report, October 2005. Applied Science Associates, Inc., Narragansett, RI. Project 05-178.
- Astrup, J. 1999. Ultrasound detection in fish - a parallel to the sonar-mediated detection of bats by ultrasound-sensitive insects? Comparative Biochemistry and Physiology a-Molecular & Integrative Physiology, 124(1), 19-27.
- Astrup, J. and Møhl, B. 1993. Detection of intense ultrasound by the cod *Gadus morhua*. Journal of Experimental Biology, 182, 71-80.
- Au, W. W. L. & Banks, K. 1998. The acoustics of the snapping shrimp *Synalpheus parneomeris* in Kaneohe Bay. Journal of the Acoustical Society of America, 103(1), 41-47.
- Auke Visser. 2013. LNG Carriers in Service or Under Construction (November 2013). Available at: <http://www.aukevisser.nl/supertankers/gas-SP/id709.htm>
- Auster, PJ and JS Link. 2009. *Compensation and recovery of feeding guilds in a northwest Atlantic shelffish community*. Mar Ecol Prog Ser. 382:163-172.
- Bain, M. B. 1997. Atlantic and shortnose sturgeons of the Hudson River: Common and divergent life history attributes. Environmental Biology of Fishes, 48(1-4), 347-358.
- Baird, R. W. 2001. Status of harbour seals, *Phoca vitulina*, in Canada. Canadian Field-Naturalist, 115(4), 663-675.
- Barr, J.F., Eberl, C. and McIntyre, J.W. 2000. Red-throated Loon (*Gavia stellata*). In The Birds Of North America, No.513 (A.Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Barry, Thomas. 2002. Risk-Informed Performance-based Industrial Fire Protection, Knoxville, TN: Tennessee Valley Publishing.
- Bartol S.M. and D.R. Ketten. 2006. Turtle and tuna hearing. In: Swimmer, Y. and R. Brill, eds. Sea turtle and pelagic fish sensory biology: Developing techniques to reduce sea turtle bycatch in longline fisheries. NOAA Tech. Memo. NMFS-PIFSC-7. Pp 98-105.
- Baumgartner, M. F., Cole, T. V. N., Campbell, R. G., Teegarden, G. J. & Durbin, E. G. 2003. Associations between North Atlantic right whales and their prey, *Calanus finmarchicus*, over diel and tidal time scales. Marine Ecology Progress Series, 264, 155-1666.
- Bellido, J. J., Castillo, J. J., Farfan, M. A., Mons, J. L. & Real, R. 2007. First records of hooded seals (*Cystophora cristata*) in the Mediterranean Sea. JMB2 - Biodiversity Records, 1-2.
- Benway and Jossi. 1998. Departures of 1996 Temperatures and Salinities in the Middle Atlantic Bight and Gulf of Maine from Historical Means. J. Northw. Atl. Fish. Sci., Vol. 24: 61-86.
- Berglund, B. and T. Lindvall. (Eds.) 1995. Community Noise. Archives of the Center for Sensory Research, Stockholm, Sweden. 2(1), 1-195. Available online at: <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.110.4346&rep=rep1&type=pdf>. Accessed on May 1, 2012.
- Bergstad, O. A., Falkenhaug, T., Astthorsson, O. S., Byrkjedal, I., Gebruk, A. V., Piatkowski, U., Gordon, J. D. M. 2008. Towards improved understanding of the diversity and abundance patterns of the mid-ocean ridge macro- and megafauna. Deep-Sea Research II, 55(1-2), 1-5. doi: 10.1016/j.dsr2.2007.10.001

- Berry, W., N. Rubinstein, B. Melzian, and B. Hill. 2003. The Biological Effects of Suspended and Bedded Sediments (SABS) in Aquatic Systems: A Review. Internal Report, U.S. Environmental Protection Agency.
- Best, P. B. 2007. Whales and Dolphins of the Southern African Subregion (pp. 338). Cambridge University Press.
- Best, P. B. and Lockyer, C. H. 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the west coast of South Africa in the 1960s. *South African Journal of Marine Science*, 24, 111-133.
- Bisby, F. A., Roskov, Y. R., Orrell, T. M., Nicolson, D., Paglinawan, L. E., Bailly, N., Kirk, P. M., Bourgoin, T. & Baillargeon, G. 2010. *Species 2000 & ITIS Catalogue of Life: 2010 Annual Checklist*. [Digital Resource]. Retrieved from <http://www.catalogueoflife.org/annual-checklist/2010> as accessed on 15 September 2010.
- Blatt, H., G. Middleton, and R. Murray. 1980. Origin of Sedimentary Rocks. Second Edition, Prentice-Hall, Inc., Englewood Cliffs, NJ. Copyright 1980.
- Boatman, M.C. and J. Peterson. 2000. Oceanic Gas Hydrate Research and Activities Review. U.S. Department of Interior, Minerals Management Service, Gulf of Mexico OCS Region. OCS Report MMS 2000-017.
- BOEM. 2012. Identification of Outer Continental Shelf Renewable Energy Space-Use Conflicts and Analysis of Potential Mitigation Measures. OCS Study, BOEM 2012-083. Prepared under BOEM Contract M09PC00037. Online at: <http://www.data.boem.gov/PI/PDFImages/ESPIS/5/5203.pdf>. Accessed 2 January 2014.
- Bordage, Daniel and Jean-Pierre L. Savard. 2011. Black Scoter (*Melanitta americana*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/177doi:10.2173/bna.177>
- Bowen, W. D. & Siniff, D. B. 1999. Distribution, population biology, and feeding ecology of marine mammals. In J. E. Reynolds, III and S. A. Rommel (Eds.), *Biology of Marine Mammals* (pp. 423-484). Washington, DC: Smithsonian Institution Press.
- BOWind. 2008. Barrow Offshore Wind Farm Post Construction Monitoring Report. Barrow Offshore Wind Ltd., Copenhagen, Denmark.
- Branch, T. A. and Butterworth, D. S. 2001. Estimates of abundance south of 60°S for cetacean species sighted frequently on the 1978/79 to 1997/98 IWC/IDCR-SOWER sighting surveys. *Journal of Cetacean Research and Management*, 3(3), 251-270.
- Brehmer, P., Gerlotto, F., Laurent, C., Cotel, P., Achury, A. & Samb, B. 2007. Schooling behaviour of small pelagic fish: phenotypic expression of independent stimuli. *Marine Ecology-Progress Series*, 334, 263-272.
- Brooks, R.A., C.N. Purdy, S.S. Bell, and K.J. Sulak. 2006. The benthic community of the eastern U.S. continental shelf: A literature synopsis of benthic faunal resources. *Continental Shelf Research* 26:804-818
- Brown, J. J. & Murphy, G. W. 2010. Atlantic sturgeon vessel-strike mortalities in the Delaware Estuary. *Fisheries*, 35(2), 72-83.

- Buehler, D. A. 2000. Bald Eagle (*Haliaeetus leucocephalus*). In The Birds of North America Online. Cornell Lab of Ornithology. Retrieved from <http://bna.birds.cornell.edu/bna/species/506> as accessed doi:10.2173/bna.506
- Burge, E. J., Atack, J. D., Andrews, C., Binder, B. M., Hart, Z. D., Wood, A. C., Jagannathan, K. 2012. Underwater Video Monitoring of Groupers and the Associated Hard-Bottom Reef Fish Assemblage of North Carolina. Bulletin of Marine Science, 88(1), 15-38. doi:10.5343/bms.2010.1079
- Burger, J., Gordon, C., Lawrence, J., Newman, J., Forcey, G. & Vlietstra, L. 2011. Risk evaluation for federally listed (roseate tern, piping plover) or candidate (red knot) bird species in offshore waters: A first step for managing the potential impacts of wind facility development on the Atlantic Outer Continental Shelf. [Article]. Renewable Energy, 36(1), 338-351. doi: 10.1016/j.renene.2010.06.048
- Burke, V.J., S.J. Morreale, and E.A. Standora. 1990. Comparisons of diet and growth of Kemp's Ridley and loggerhead turtles from the northeastern U.S. In: Richardson, T.H., J.I. Richardson, and M. Donnelly (Compilers). 1990. Proceedings of the 10th annual workshop on sea turtle conservation and biology. NOAA Technical Memorandum NMFS-SEFC-278. p 135
- Burke, V.J., S.J. Morreale, P. Logan, and E.A. Standora. 1992. Diet of green turtles (*Chelonia mydas*) in the waters of Long Island, NY. In: Proceedings of the 11th annual workshop on sea turtle conservation and biology, NOAA Technical Memorandum NMFS-SEFSC-302: 140-141
- Burns, J. J. 2008. Harbor seal and spotted seal *Phoca vitulina* and *P. largha*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), Encyclopedia of Marine Mammals (Second Edition) (pp. 533-542). Academic Press.
- Butman, B. 2002. Mapping the Seafloor for the Historic Area Remediation Site (HARS) Offshore New York City. U.S. Geological Survey Fact Sheet 001-02, Online version 1.0. Available online at: <http://pubs.usgs.gov/fs/2002/fs001-02/index.html>
- Butman, B., P.S. Alexander, C.K. Harris, P.A. Traykovski, M.B. ten Brink, F.S. Lightsom, and M.A. Martini. 2003. Oceanographic Observations in the Hudson Shelf Valley, December 1999 – April 2000: Data Report. U.S. Geological Survey Open File Report 02-217 (DVD-ROM), U.S. Department of the Interior.
- Byrnes, M.R., R.M. Hammer, S.W. Kelley, J.L. Baker, D.B. Snyder, T.D. Thibaut, S.A. Zichichi, L.M. Lagera, S.T. Viada, B.A. Vittor, J.S. Ramsey, and J.D. Germano. 2004. Environmental Surveys of Potential Borrow Areas Offshore Northern New Jersey and Southern New York and the Environmental Implications of Sand Removal for Coastal and Beach Restoration. U.S. Department of the Interior, Minerals Management Service, Leasing Division, Marine Minerals Branch, Herndon, VA. OCS Report MMS 2004-044.
- Byrnes, M.R., S.W. Kelley, and J.S. Ramsey. 2003. Numerical modeling evaluation of the cumulative effects of offshore sand dredging for beach renourishment. Executive Summary. U.S. Department of the Interior, Minerals Management Service, International Activities and Marine Minerals Division (INTERMAR), Herndon, VA. OCS Report MMS 2001-098. 16 pp.
- Byrnes, M.R.; Hammer, R.M.; Thibaut, T.D., and Snyder, D.B. 2004. Effects of Sand Mining on Physical Processes and Biological Communities Offshore New Jersey, U.S.A. Journal of Coastal Research, 20(1), 25–43.

- Calambokidis, J. 2009. Symposium on the results of the SPLASH humpback whale study: Final Report and Recommendations. pp. 68.
- Caltrans. 2001. San Francisco – Oakland Bay Bridge East Span Seismic Safety Project – Pile Installation Demonstration Project – Fisheries Impact Assessment. PIDP EA 012081.
- Canese, S., Cardinali, A., Forunta, C. M., Giusti, M., Lauriano, G., Salvati, E. & Greco, S. 2006. The first identified winter feeding ground of fin whales (*Balaenoptera physalus*) in the Mediterranean Sea. Journal of the Marine Biological Association of the United Kingdom, 86(4), 903-907. doi:10.1017/S0025315406013853
- Cetacean and Turtle Assessment Program. 1982. A Characterization of Marine Mammals and Turtles in the Mid- and North Atlantic Areas of the U.S. Outer Continental Shelf [Final report]. (Contract Number AA551-CT8-48, pp. 540). Kingston, RI: University of Rhode Island, Graduate School of Oceanography. Prepared for Bureau of Land Management.
- Chant et al. 2008. Dispersal of the Hudson River Plume in the New York Bight: Synthesis of Observational and Numerical Studies During LaTTE, Oceanography 21(4):148–161
- Chapman, C. J. & Hawkins, A. D. 1973. Field study of hearing in cod, *gadus-morhua-l*. Journal of Comparative Physiology, 85(2), 147-167. 10.1007/bf00696473
- Chesler, Olga, editor. 1982. New Jersey's Archeological Resources from the Paleo-Indian Period to the Present: A Review of Research Problems and Survey Priorities. Office of Cultural and environmental Services, New Jersey Department of Environmental Protection, Trenton, New Jersey.
- CH-IV International. 2006. Safety History of International LNG Operations. Technical Document TD-O21O9. December 2006. Millersville, Maryland.
- Cipriano, F. 2008. Atlantic white-sided dolphin *Lagenorhynchus acutus*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), Encyclopedia of Marine Mammals (Second Edition) pp. 56-58. Academic Press.
- Clapham, P. J. & Mead, J. G. 1999. *Megaptera novaeangliae*. Mammalian Species, 604, 1-9.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. *Can. J. Zool.* 71, 440-443
- Coakes, A., Gowans, S., Simard, P., Giard, J., Vashro, C. & Sears, R. 2005. Photographic identification of fin whales (*Balaenoptera physalus*) off the Atlantic coast of Nova Scotia, Canada. *Marine Mammal Science*, 21(2), 323-327.
- Colby, D. and D. Hoss. 2004. Larval fish feeding responses to variable suspended sediment and prey concentrations. DOER Technical Notes Collection (ERDC TN-DOER-E16). U.S. Army Engineer Research and Development Center, Vicksburg, MS. 27 pp
- Cornell Lab of Ornithology. 2010. Determining the Seasonal Occurrence of Cetaceans in New York Coastal Waters using Passive Acoustic Monitoring, February 2008 – March 2009. Bioacoustics Research Program, Technical Report 09-07. Final Report. June 14, 2010.
- CRESLI (Coastal Research and Education Society of Long Island, Inc.). 2013. Coastal Research and Education Society of Long Island, Inc Wesbite. Accessed September 2013 at <http://www.cresli.org/index.html>

- Dadswell, M. J. 2006. A review of the status of Atlantic sturgeon in Canada, with comparisons to populations in the United States and Europe. *Fisheries*, 31(5), 218-229.
- Davies, J. L. 1957. The geography of the gray seal. *Journal of Mammalogy*, 38(3), 297-310.
- Davis, R. W., Fargion, G. S., May, N., Leming, T. D., Baumgartner, M., Evans, W. E., Mullin, K. 1998. Physical habitat of cetaceans along the continental slope in the north-central and western Gulf of Mexico. *Marine Mammal Science*, 14(3), 490-507.
- DeCandido, R., R. O. Bierregaard, M. S. Martell, and K. L. Bildstein. 2006. Evidence of nocturnal migration by osprey (*Pandion haliaetus*) in North America and western Europe. *Journal of Raptor Research* 40:156-158.
- Dell'Amore, C. 2011. Whales Throng New York City Area, Surprising Scientists; Surprising number of whales, including biggest species, found via microphones. *National Geographic Daily News*, 06 May 2011. Retrieved from <http://news.nationalgeographic.com/news/2011/05/110506-whales-blue-whale-new-york-city-animals-science/>
- Derraik, J. G. B. 2002. The pollution of the marine environment by plastic debris: A review. *Marine Pollution Bulletin*, 44(9), 842-852. doi: 10.1016/S0025-326X(02)00220-5
- Det Norske Veritas. 2010. Draft Vessel Transit Study for The Liberty Natural Gas Project (unpublished files).
- Dillon, W.P., W.W. Danforth, D.R. Hutchinson, R.M. Drury, M.H. Taylor, and J.S. Booth. 1998. Evidence for Faulting Related to Dissociation of Gas Hydrate and Release of Methane of the Southeastern United States.
- DOE (U.S. Department of Energy). 2012. Liquefied Natural Gas Safety Research. Report to Congress. May 2012. http://energy.gov/sites/prod/files/2013/03/f0/DOE_LNG_Safety_Research_Report_To_Congre.pdf. Accessed October 13, 2014.
- Dodd, C. K., Jr. 1988. Synopsis of the biological data on the Loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). (Biological Report 88 (14)), pp. 110. Washington, D.C.: U.S. Fish and Wildlife Service.
- Doniol-Valcroze, T., Berteaux, D., Larouche, P. & Sears, R. 2007. Influence of thermal fronts on habitat selection by four rorqual whale species in the Gulf of St. Lawrence. *Marine Ecology Progress Series*, 335, 207-216.
- Drazen, J. C. and Seibel, B. A. 2007. Depth-related trends in metabolism of benthic and benthopelagic deep-sea fishes. *Limnology and Oceanography*, 52(5), 2306-2316.
- Drewitt, A. L., & Langston, R. H. 2006. Assessing the impact of wind farms on birds. *Ibis*, 148, 29–42.
- Dunton, K. J., A. Jordaan, K. A. Mckown, D. O. Conover and M. G. Frisk. 2010. Abundance of and distribution of Atlantic sturgeon (*Acipenser oxyrinchus*) within the Northwest Atlantic Ocean, determined from five fishery-independent surveys. *Fisheries Bulletin*, 108: 450-465
- Durbin E., Teegarden G., Campbell R., Cembella A., Baumgartner M.F., Mate B.R. 2002. North Atlantic right whales, *Eubalaena glacialis*, exposed to paralytic shellfish poisoning (PSP) toxins via a zooplankton vector, *Calanusfinmarchicus*. *Harmful Algae* 1:243–251
- Edson, G.M., D.L. Olson, and A.J. Petty. 2000. Georges Bank Petroleum Exploration – Atlantic Outer Continental Shelf. OCS Report 2000-031.

- EIA (Energy Information Administration). 2012a. Annual Energy Outlook Early Release Overview, 2011. Accessed online at <http://www.eia.gov/oiaf/aeo/overview.html>. Accessed October 2013.
- EIA. 2012b. Energy in Brief – How much of our electricity is generated from renewable energy? Available at: http://www.eia.gov/energy_in_brief/article/renewable_electricity.cfm. Accessed October 2013.
- EIA. 2012c. Short-Term Energy Outlook. Available at: http://www.eia.gov/forecasts/steo/report/renew_co2.cfm. Accessed October 2013.
- EIA. 2013a. Short-Term Energy and Winter Fuels Outlook. October. Available at: <http://www.eia.gov/forecasts/steo/query/>
- EIA. 2013b. Natural Gas Explained. Available at: http://www.eia.gov/energyexplained/index.cfm?page=natural_gas_home
- EIA. 2014. Annual Energy Outlook 2014 with Projections to 2040. US Energy Information Administration. Washington DC. Available at: www.eia.gov/forecasts/aoe.
- Elliott-Smith, Elise and Susan M. Haig. 2004. Piping Plover (*Charadrius melanotos*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/002doi:10.2173/bna.2>.
- Elphick, J. (Ed.). 2007. *Atlas of bird migration: tracing the great journeys of the world's birds* (Printed Book, pp. 176). Buffalo, NY: Firefly Books.
- Estrada, J. A., Rice, A. N., Lutcavage, M. E. & Skomall, G. B. 2003. Predicting trophic position in sharks of the north-west Atlantic Ocean using stable isotope analysis. Journal of the Marine Biological Association of the United Kingdom, 83(6), 1347-1350.
- Evers, David C., James D. Paruk, Judith W. McIntyre and Jack F. Barr. 2010. Common Loon (*Gavia immer*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/313>.
- Fauchald, P., Erikstad, K. E. & Systad, G. H. 2002. Seabirds and marine oil incidents: is it possible to predict the spatial distribution of pelagic seabirds? [Electronic Version]. *Journal of Applied Ecology*, 39: 349-360.
- Fay, C., Bartron, M., Craig, S., Hecht, A., Pruden, J., Saunders, R., Trial, J. 2006. Status Review for Anadromous Atlantic Salmon (*Salmo salar*) in the United States. (pp. 294) National Marine Fisheries Service and U.S. Fish and Wildlife Service. Prepared by the Atlantic Salmon Biological Review Team. Retrieved from <http://www.nmfs.noaa.gov/pr/species/statusreviews.htm>
- FEMA (Federal Emergency Management Agency). 1989. Handbook of Chemical Hazard Analysis Procedures, Washington, DC.
- FEMA. 2010. Earthquake Risk by State and Territory. Available online at: <http://www.fema.gov/hazard/earthquake/risk.shtm>.
- FERC (Federal Energy Regulatory Commission). 2006. Broadwater LNG Project. Final Environmental Impact Statement Report. Available online at <http://www.ferc.gov/industries/gas/enviro/eis/2008/01-11-08-eis.asp> under Docket Number CP06-54-000 and CP-55-000. pp 3-102 through 3-107 and 3-249 through 3-251. Accessed on May 1, 2012.

FHWG (Fisheries Habitat Working Group). 2008. Agreement in Principal for Interim Criteria for Injury to Fish from Pile Driving Activities. Memorandum of Agreement between NOAA Fisheries' Northwest and Southwest Regions; USFWS Regions 1 and 8; California, Washington, and Oregon Departments of Transportation; California Department of Fish and Game; and Federal Highways Administration. June 12, 2008.

FOE (Forristall Ocean Engineering, Inc.). 2012. Metocean Criteria Study for an LNG Receiving Terminal in New York Bight.

Food and Agriculture Organization of the United Nations. 2005. Review of the state of world marine fishery resources. (FAO Fisheries Technical Paper No. 457, pp. 235). Rome, Italy: FAO. Retrieved from <http://www.fao.org/docrep/009/y5852e/y5852e00.htm>

Food and Agriculture Organization of the United Nations. 2009. The State of World Fisheries and Aquaculture. pp. 196. Rome, Italy: FAO. Retrieved from <http://www.fao.org/docrep/011/i0250e/i0250e00.HTM>

Frick, M. G., Quinn, C. A. & Slay, C. K. 1999. *Dermochelys coriacea* (leatherback sea turtle), *Lepidochelys kempi* (Kemp's ridley sea turtle), and *Caretta caretta* (loggerhead sea turtle). Pelagic feeding. [Abstract]. Herpetological Review, 30(3), 165.

Froese, R. and Pauly, D. E. 2010. FishBase. January 2010 ed. [Online Database] FishBase. Retrieved from <http://www.fishbase.org/search.php> as accessed on 10 March 2010.

FTA (Federal Transit Administration). 2006. Office of Planning and Environment, Federal Transit Administration, Transit Noise and Vibration Impact Assessment, FTA-VA-90-1003-06, May. http://www.fta.dot.gov/documents/FTA_Noise_and_Vibration_Manual.pdf

Fulling, G. L., Mullin, K. D. & Hubbard, C. W. 2003. Abundance and distribution of cetaceans in outer continental shelf waters of the U.S. Gulf of Mexico. Fishery Bulletin, 101, 923-932.

Garrison, Lance P. and Jason Link. 2000. *Dietary guild structure of the fish community in the Northeast United States continental shelf ecosystem*. Mar Ecol Prog Ser. Vol. 202: 231–240.

Gaskin, D. E. 1992. Status of the harbour porpoise, *Phocoena phocoena*, in Canada. Canadian Field-Naturalist, 106(1), 36-54.

Gaskin, D. E., Yamamoto, S. & Kawamura, A. 1993. Harbour porpoise, *Phocoena phocoena* (L.), in coastal waters of northern Japan. Fishery Bulletin, 91, 440-454.

Gaston, A. J. 2004. Seabirds A Natural History. Christopher Helm, London.

Gehring, J., Kerlinger, P. & Manville, A. M. 2009. Communication towers, lights, and birds: successful methods of reducing the frequency of avian collisions. *Ecological Applications*, 19(2), 505–514. 10.1890/07-1708.1.

Gilbert, C.R. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Mid-Atlantic Bight)--Atlantic and shortnose sturgeons. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.122). U.S. Army Corps of Engineers TR EL82-4. 28 pp

Gilbert, J. R. & Guldager, N. 1998. Status of Harbor and Gray Seal Populations in Northern New England. Woods Hole, MA: U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center.

- Glass, A. H., Taylor, C. R. and Cupka, D. M. 2005. Monitoring North Atlantic Right Whales off the Coasts of South Carolina and Georgia: 2004-2005 [Final Report]. Charleston, S.C. Prepared by South Carolina Department of Natural Resources, Marine Resources Division, Office of Regional Management. Prepared for National Fish and Wildlife Foundation
- Goatley, C. H. R. & Bellwood, D. R. 2009. Morphological structure in a reef fish assemblage. *Coral Reefs*, 28(2), 449-457. doi: 10.1007/s00338-009-0477-9
- Gochfeld, M., Burger, J. & Nisbet, I. C. 1998. Roseate Tern (*Sterna dougallii*). [Electronic Version]. The Birds of North America Online (370), 1-32. 10.2173/bna.370
- Godley, B. J., Thompson, D. R., Waldron, S. & Furness, R. W. 1998. The trophic status of marine turtles as determined by stable isotope analysis. *Marine Ecology Progress Series*, 166, 277-284.
- Goldbogen, J. A., Calambokidis, J., Shadwick, R. E., Oleson, E. M., McDonald, M. A. & Hildebrand, J. A. 2006. Kinematics of foraging dives and lunge-feeding in fin whales. *Journal of Experimental Biology*, 209, 1231-1244.
- Good, Thomas P. 1998. Great Black-backed Gull (*Larus marinus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/330> doi:10.2173/bna.330.
- Goudie, R. Ian, Gregory J. Robertson and Austin Reed. 2000. Common Eider (*Somateria mollissima*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/546> doi:10.2173/bna.546
- Greene, J.K., M.G. Anderson, J. Odell, and N. Steinberg, eds. 2010. The Northwest Atlantic Marine Ecoregional Assessment: Species, Habitats and Ecosystems. Phase One. The Nature Conservancy, Eastern U.S. Division, Boston, MA
- Gregory, J. & Clabburn, P. 2003. Avoidance behaviour of *Alosa fallax fallax* to pulsed ultrasound and its potential as a technique for monitoring clupeid spawning migration in a shallow river. *Aquatic Living Resources*, 16, 313-316.
- Griffin, R. B. & Griffin, N. J. 2003. Distribution, habitat partitioning, and abundance of Atlantic spotted dolphins, bottlenose dolphins, and loggerhead sea turtles on the eastern Gulf of Mexico continental shelf. *Gulf of Mexico Science*, 1, 23-34.
- Hall, A. & Thompson, D. 2008. Gray seal *Halichoerus grypus*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), *Encyclopedia of Marine Mammals* (Second Edition) (pp. 500-503). Academic Press.
- Hammill, M. O. & Gosselin, J. F. 1995. Grey seal (*Halichoerus grypus*) from the Northwest Atlantic: Female reproductive rates, age at first birth, and age of maturity in males. *Canadian Journal of Fisheries and Aquatic Sciences*, 52, 2757-2761.
- Hammill, M. O., Lydersen, K. M., Kovacs, K. M. & Sjare, B. 1997. Estimated fish consumption by hooded seals (*Cystophora cristata*) in the Gulf of St. Lawrence. *Journal of Northwest Atlantic Fishery Science*, 22, 249-258.
- Hammill, M. O., Stenson, G. B., Myers, R. A. & Stobo, W. T. 1998. Pup production and population trends of the grey seal (*Halichoerus grypus*) in the Gulf of St. Lawrence. *Canadian Journal of Fisheries and Aquatic Sciences*, 55, 423-430.

- Harrington, Brian A. 2001. Red Knot (*Calidris canutus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online:<http://bna.birds.cornell.edu/bna/species/563> doi:10.2173/bna.563.
- Harris, D. E., Lelli, B. & Jakush, G. 2002. Harp seal records from the southern Gulf of Maine: 1997-2001. *Northeastern Naturalist*, 9(3), 331-340.
- Harrison, P. 1987. Seabirds of the world. Princeton University Press, Princeton, New Jersey.
- Harvey, M. J., J. S. Altenbach, and T. L. Best. 2011. Bats of the United States and Canada. Johns Hopkins University Press, Baltimore, Maryland.
- Hastings, M. C. & Popper, A. N. (15701). 2005. Effects of sound on fish. (Vol. Report to Cal Trans, pp. 1-82).
- Havens, J. 2003. Terrorism: Ready to BlowB Bulletin of the Atomic Scientists. July/August 2003. p. 17.
- Hays, G. C., Houghton, J. D. R., Isaacs, C., King, R. S., Lloyd, C. & Lovell, P. 2004. First records of oceanic dive profiles for leatherback turtles, *Dermochelys coriacea*, indicate behavioural plasticity associated with long-distance migration. *Animal Behaviour*, 67, 733-743. doi: 10.1016/j.anbehav.2003.08.011
- Hayward, Michele, Arnold Pickman, Mark A. Steinback, Stephen R. James, Edward V. Curtin, and Michael A. Cinquino. 2000. Cultural Resources Assessment of T-Groin Placement, Atlantic Coast of New York, East Rockaway Inlet to Rockaway Inlet and Jamaica Bay, Queens County, New York Section 934. Prepared for Panamerican Consultants, Inc.
- Halfman, G. S., Collette, B. B. & Facey, D. E. 1997. The Diversity of Fishes (pp. 528). Malden, MA: Blackwell Science, Inc.
- Halfman, G. S., Collette, B. B., Facey, D. E. & Bowen, B. W. 2009. The Diversity of Fish: Biology, Evolution, and Ecology (2nd ed., pp. 528). Malden, MA: Wiley-Blackwell.
- Heppell, S. S., Crouse, D. T., Crowder, L. B., Epperly, S. P., Gabriel, W., Henwood, T., Thompson, N. B. 2005. A population model to estimate recovery time, population size, and management impacts on Kemp's ridley sea turtles. *Chelonian Conservation and Biology*, 4(4), 767-773.
- Hicks, G.R.F. 1985. Biomass and Production Estimates for an Estuarine Meiobenthic Copepod, with an Instantaneous Assessment of Exploitation by Flatfish Predators. *New Zealand Journal of Ecology* 8:125-127.
- Hildebrand, H.H. 1982. A historical review of the status of sea turtle populations in the western Gulf of Mexico. In: *Biology and conservation of sea turtles*. K.A. Bjorndal, ed. Smithsonian Institute, Washington, D.C. Pages 447-453
- Hildebrand, J. 2004. Sources of Anthropogenic Sound in the Marine Environment. *Marine Pollution Bulletin*. Volume: 50, Issue: 2, Pages: 226-35. Available online at: <http://mmc.gov/sound/internationalwrkshp/pdf/hildebrand.pdf>. Accessed on May 1, 2012.
- Hildebrand, J. A. 2009. "Anthropogenic and natural sources of ambient noise in the ocean," *Mar. Ecol. Prog. Ser.* 395, 5-20.
- Hill, R. D. 1985. Investigation of lightning strikes to water surfaces. *Journal of the Acoustical Society of America*, 78(6), 2096-2099. December.

- Hodge (Hodge Water Resources). 2014. Modeling Evaluation of Sediment Dispersion and Deposition during Construction of the Port Ambrose Deepwater Port Project, Prepared for AECOM.
- Horwood, J. 1987. The Sei Whale: Population Biology, Ecology, and Management (pp. 375). New York, NY: Croom Helm.
- Horwood, J. 2008. Sei whale *Balaenoptera borealis*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), Encyclopedia of Marine Mammals (2nd ed., pp. 1001-1003). San Diego, CA: Academic Press.
- Houston, C. Stuart, Cameron R. Jackson and Daniel E. Bowen, Jr. 2011. Upland Sandpiper (*Bartramia longicauda*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online:<http://bna.birds.cornell.edu/bna/species/580>
- Hu M., H.Y. Yan, W.S. Chung, J.C. Shiao, and P.P. Hwang P-P. 2009. Acoustical evoked potentials in two cephalopods inferred using the auditory brainstem response (ABR) approach. *Comp Biochem Phys A* 153:278-283.doi:10.1016/j.cbpa.2009.02.040
- Huntington, C. E., R. G. Butler, and R. A. Mauck. 1996. Leach's storm-petrel. The birds of North America 233:1-28.
- Hutchinson, D.R., and J.A. Grow. 1982. New York Bight Fault. USGS Open File Report 82-208.
- Hutchinson, D.R., and J.A. Grow. 1984. New York Bight Fault. Geological Society of America Bulletin, v. 96, p. 975-989.
- ICF (ICF International). 2009. Current Methodologies in Preparing Mobile Source Port-Related Emissions Inventories," Final Report, April 2009. Prepared for the U.S. Environmental Protection Agency.
- ICF. 2012. Needs Assessment for Port Ambrose; ICF International, Fairfax, Virginia 22031. Submitted to Liberty Natural Gas. July 17, 2012.
- ICF. 2014. The Adequacy and Cost of Natural Gas Capacity Serving the New York and New Jersey Energy Market Lessons Learned from the Polar Vortex of 2013/2014.
- ICF Jones & Stokes and Illingworth and Rodkin, Inc. 2009. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Sacramento, CA: California Department of Transportation.
- Ingram, S. N., Walshe, L., Johnston, D. & Rogan, E. 2007. Habitat partitioning and the influence of benthic topography and oceanography on the distribution of fin and minke whales in the Bay of Fundy, Canada. *Journal of the Marine Biological Association of the United Kingdom*, 87, 149-156.
- Interagency Working Group. 2010. *Scientific Assessment of Hypoxia in U.S. Coastal Waters*. Interagency Working Group on Harmful Algal Blooms, Hypoxia, and Human Health. September.
- IPCC (Intergovernmental Panel on Climate Change). 2013. Fifth Assessment Report of the Intergovernmental Panel on Climate Change, Cambridge University Press.
- IUCN (International Union for Conservation of Nature). 2009. Red List of Threatened Species. Version 2009.2 (Vol. 2010). Barcelona: International Union for Conservation of Nature and Natural Resources.

- IUCN. 2012a. *Balaenoptera physalus*. Retrieved from <http://www.iucnredlist.org/details/24780>
- IUCN. 2012b. *Megaptera novaeangliae*. Retrieved from <http://www.iucnredlist.org/details/130060>
- JASCO (JASCO Research Ltd.). 2006. Assessment of the Effects of Underwater Noise from the Proposed Neptune LNG Project – Supplementary Acoustic Modeling Report. Report by JASCO Research, Halifax, Nova Scotia, Canada for Ecology and Environment, Inc., Arlington, Virginia. Available online at: <http://www.nmfs.noaa.gov/pr/permits/incidental.htm>. Accessed on May 1, 2012.
- Jefferson, T. A., Webber, M. A. & Pitman, R. L. 2008. Marine Mammals of the World: A Comprehensive Guide to their Identification (pp. 573). London, UK: Elsevier.
- Jensen, A.S. and G.K. Silber. 2003. Large Whale Ship Strike Database. U.S. Department of Commerce, NOAA Technical Memorandum. 37 pp
- Jensen, A. and G. Silber. 2004. Large Whale Ship Strike Database. (NOAA Technical Memorandum NMFS-OPR-25.) Online at <http://www.nmfs.noaa.gov/pr/pdfs/shipstrike/lwssdata.pdf>.
- Jessop, B. M., Shiao, J. C., Iizuka, Y. & Tzeng, W. N. 2002. Migratory behaviour and habitat use by American eels *Anguilla rostrata* as revealed by otolith microchemistry. Marine Ecology-Progress Series, 233, 217-229. 10.3354/meps233217
- Johnson, A., Salvador, G., Kenney, J., Robbins, J., Landry, S. and Clapham, P. 2005. Fishing gear involved in entanglements of right and humpback whales. Marine Mammal Science, 21(4), 635-645. doi:10.1111/j.1748-7692.2005.tb01256.x
- Johnston, D. W., Thorne, L. H. & Read, A. J. 2005. Fin whales *Balaenoptera physalus* and minke whales *Balaenoptera acutorostrata* exploit a tidally driven island wake ecosystem in the Bay of Fundy. Marine Ecology Progress Series, 305, 287-295.
- Jørgensen, R., Handegard, N. O., Gjøsaeter, H. & Slotte, A. 2004. Possible vessel avoidance behaviour of capelin in a feeding area and on a spawning ground. Fisheries Research, 69(2), 251-261. doi: 10.1016/j.fishres.2004.04.012.
- Juckett, D. 2002. Properties of LNG. Slide Presentation at the X.S. Department of Energy LNG Workshop. February 12, 2002. Solomons, Maryland.
- Kappel, C. V. 2005. Losing pieces of the puzzle: threats to marine, estuarine, and diadromous species. Frontiers in Ecology and the Environment, 3(5), 275-282.
- Karleskint, G., Turner, R., and Small, J. W., Jr. 2006. Introduction to Marine Biology, 2nd Edition. Thomson Brooks/Cole. Belmont, California
- Katona, S. K., Rough, V. & Richardson, D. T. 1993. A Field Guide to Whales, Porpoises, and Seals from Cape Cod to Newfoundland (pp. 316). Washington, DC: Smithsonian Institution Press.
- Keevin, T. and G.L. Hempen. 1997. The Environment Effects of Underwater Explosions with Methods to Mitigate Impacts, St. Louis, Missouri.
- Keller, A. A., Fruh, E. L., Johnson, M. M., Simon, V. & McGourty, C. 2010. Distribution and abundance of anthropogenic marine debris along the shelf and slope of the US West Coast. Marine Pollution Bulletin, 60(5), 692-700. doi: 10.1016/j.marpolbul.2009.12.006
- Kenney, R. D. & Winn, H. E. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf/slope areas. Continental Shelf Research, 7, 107-114.

- Kenney, R. D., Mayo, C. A. & Winn, H. E. 2001. Migration and foraging strategies at varying spatial scales in western north Atlantic right whales: A review of hypotheses. *Journal of Cetacean Research and Management*(Special Issue 2), 237-250.
- Kerlinger, P. 1995. *How Birds Migrate*. Published August 1st 1995 by Stackpole Books
- Knowlton, A. R., Marx, M. K., Pettis, H. M., Hamilton, P. K. & Kraus, S. D. 2005. Analysis of scarring on North Atlantic right whales (*Eubalaena glacialis*): monitoring rates of entanglement interaction 1980-2002 [Final Report]. National Marine Fisheries Service.
- Koslow, J. A. 1996. Energetic and life-history patterns of deep-sea benthic, benthopelagic and seamount-associated fish. *Journal of Fish Biology*, 49, 54-74.
- Kraft, Herbert C. 1977. PaleoIndians in New Jersey. In Amerinds and their Paleoenvironments in Northeastern North America, pp. 264-281. Edited by Walter S. Newman and Bert Salwen. Annals of the New York Academy of Sciences, New York.
- Kuker, K. J., Thomson, J. A. & Tscherter, U. 2005. Novel surface feeding tactics of minke whales, *Balaenoptera acutorostrata*, in the Saguenay-St. Lawrence National Marine Park. *Canadian Field-Naturalist*, 119(2), 214-218.
- Laist, D. W. 1987. Overview of the biological effects of lost and discarded plastic debris in the marine environment. *Marine Pollution Bulletin*, 18(6B), 319-326.
- Laist, D. W. 1997. Impacts of marine debris: Entanglement of marine life in marine debris including a comprehensive list of species with entanglement and ingestion records. In J. M. Coe and D. B. Rogers (Eds.), *Marine Debris: Sources, Impacts, and Solutions* (pp. 99-140). New York, NY: Springer-Verlag.
- Laist, D., A. Knowlton, J. Mead, A. Collet, and M. Podesta. 2001. Collisions between Ships and Whales. *Marine Mammal Science* 17(1):35-75.
- Larkin, R. P., Pater, L. L. & Tazik, D. J. 1996. Effects of military noise on wildlife: A literature review (pp. 1–107).
- Lazar, B. & Gracan, R. 2011. Ingestion of marine debris by loggerhead sea turtles, *Caretta caretta*, in the Adriatic Sea. *Marine Pollution Bulletin*, 62(1), 43-47. January.
- Lazell, J. D., Jr. 1980. New England waters: Critical habitat for marine turtles. *Copeia*, 1980(2), 290-295.
- Leandro, L. F., Rolland, R. M., Roth, P. B., Lundholm, N., Wang, Z. and Doucette, G. J. 2010. Exposure of the North Atlantic right whale *Eubalaena glacialis* to the marine algal biotoxin, domoic acid. *Marine Ecology Progress Series*, 398, 287-303
- Lee, David S. and J. Christopher Haney. 1996. Manx Shearwater (*Puffinus puffinus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/257> doi:10.2173/bna.257.
- Lees, F.P. 1996. Loss Prevention in the Process Industries. Hazard Identification, Assessment and Control. 2nd Edition. Butterworth-Heinemann, Oxford. 3,000 pp.
- Lesage, V. & Hammill, M. O. 2001. The status of the grey seal, *Halichoerus grypus*, in the Northwest Atlantic. *Canadian Field-Naturalist*, 115(4), 653-662.

- Levenson, C. 1974. Source level and bistatic target strength of the sperm whale (*Physeter catodon*) measured from an oceanographic aircraft. Journal of the Acoustical Society of America, 55(5), 1100-1103.
- Levinton, J. 2009. Marine Biology: Function, Biodiversity, Ecology. 3rd Edition. Oxford University Press, New York
- LGL and JASCO (LGL Limited and JASCO Research Ltd). 2005. Assessment of the Effects of Underwater Noise from the Proposed Neptune LNG Project. Prepared for Ecology and Environment Inc. LGL Report No. TA4200-3, October 12, 2005. Provided as Appendix H in Neptune LNG LLC. November 2005. Volume II. Deepwater Port License Application: Neptune Project, Massachusetts Bay. Available online at: http://www.nmfs.noaa.gov/pr/pdfs/permits/neptune_assessment.pdf. Accessed on May 1, 2012.
- Liberty (Liberty Natural Gas, LLC). 2012. Marine Vessel Traffic Data. Privileged and confidential.
- Lien, J., Nelson, D. & Hai, D. J. 2001. Status of the white-beaked dolphin, *Lagenorhynchus albirostris*, in Canada. Canadian Field-Naturalist, 115(1), 118-126.
- Lindholm J, Ruth M, Kaufman L, Auster PJ. 1998. The marine refuge as a fishery management tool: a modeling approach to the design of marine refugia. In: Munro NW, Willison JHM (eds) Linking protected areas with working landscapes, conserving biodiversity. Science and Management of Protected Areas Association, Wolfville, NS, p 138–150
- LI-NYC Offshore Wind (Long Island-New York City Offshore Wind Collaborative). 2013. Long Island-New York City Offshore Wind Project. Online at: <http://www.linycoffshorewind.com/Default.html>. Accessed 26 December 2013.
- Litten, S. 2003. Contaminant Assessment Reduction Project – CARP. New York State Department of Environmental Conservation Division of Water.
- Lore, G.L., K.M. Ross, B.J. Bascle, L.D. Nixon, and R.J. Klazynski. 1999. Assessment of Conventionally Recoverable Hydrocarbon Resources of the Gulf of Mexico and Atlantic Outer Continental Shelf as of January 1, 1995. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, Office of Resource Evaluation. OCS Report MMS 99-0034.
- Lough, R.G. 2004. Essential Fish Habitat Source Document: Atlantic Cod, *Gadus morhua*, Life History and Habitat Characteristics. Second Edition. NOAA Technical Memorandum NMFS-NE-190. 94 pp.
- Lundquist, C. J., S. F. Thrush, G. Coco, J. E. Hewitt. 2010. Interactions between disturbance and dispersal reduce persistence thresholds in a benthic community. Marine Ecology Prog. Series 413: 217-228.
- Lovella, J.M, M.M. Findlaya, R.M. Moateb, J.R. Nedwell, and M.A. Pegg. 2005. The inner ear morphology and hearing abilities of the Paddlefish (*Polyodon spathula*) and the Lake Sturgeon (*Acipenser fulvescens*). Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology. Vol. 142(3): 286-296.
- Lutcavage, M. & Musick, J. A. 1985. Aspects of the biology of sea turtles in Virginia. Copeia, 1985(2), 449-456.

- Macedo, G. R., Pires, T. T., Rostan, G., Goldberg, D. W., Leal, D. C., Neto, A. F. G. & Franke, C. R. 2011. Anthropogenic debris ingestion by sea turtles in the northern coast of Bahia, Brazil. Ciencia Rural, 41(11), 1938-1943. November.
- Macfadyen, G., Huntington, T. & Cappell, R. 2009. Abandoned, Lost or Otherwise Discarded Fishing Gear. (UNEP Regional Seas Report and Studies 185, or FAO Fisheries and Aquaculture Technical Paper 523, pp. 115). Rome, Italy: United Nations Environment Programme Food.
- MacLeod, C. D., Begoña Santos, M., Reid, R. J., Scott, B. E. & Pierce, G. J. 2007. Linking sandeel consumption and the likelihood of starvation in harbour porpoises in the Scottish North Sea: Could climate change mean more starving porpoises? Biology Letters, 3, 185-188. doi:10.1098/rsbl.2006.0588
- Maher, J.C. 1971. Geologic Framework and Petroleum Potential of the Atlantic Coastal Plain and Continental Shelf. USGS Professional Paper 659.
- Mahon, R., Brown, S. K., Zwanenburg, K. C. T., Atkinson, D. B., Buja, K. R., Claflin, L., Sinclair, M. 1998. Assemblages and biogeography of demersal fishes of the east coast of North America. Canadian Journal of Fisheries and Aquatic Sciences, 55(7), 1704-1738.
- Maine Sea Grant. 2002. Natural Gas May Explain Pockmarks in Gulf of Maine. Available online at:<http://www.seagrant.umaine.edu/Hotopics/Projects/Pockmark.htm>
- Mann, D. A., Higgs, D. M., Tavolga, W. N., Souza, M. J. & Popper, A. N. 2001. Ultrasound detection by clupeiform fishes. Journal of the Acoustical Society of America, 109(6), 3048-3054.
- Mann, D. A., Lu, Z. & Popper, A. N. 1997. A clupeid fish can detect ultrasound. Nature, 389, 341.
- Mann, D. A., Lu, Z., Hastings, M. C. & Popper, A. N. 1998. Detection of ultrasonic tones and simulated dolphin echolocation clicks by a teleost fish, the American shad (*Alosa sapidissima*). Journal of the Acoustical Society of America, 104(1), 562-568.
- MAPONY (Maritime Association of the Port of New York and New Jersey). 2013. Departures. Accessed September 2013 at <http://www.nymaritime.org/dpt.aspx>
- MARAD (U.S. Department of Transportation Maritime Administration). 2012. North American Cruise Statistical Snapshot, 2011. Online at: http://www.marad.dot.gov/documents/North_American_Cruise_Statistics_Quarterly_Snapshot.pdf. Accessed 12 September 2013.
- MARAD. 2013. Vessel Calls Snapshot, 2011. Online at: http://www.marad.dot.gov/documents/Vessel_Calls_at_US_Ports_Snapshot.pdf. Accessed 12 September 2013.
- Marine Trades Association of New Jersey. 2008. Recreational Boating in New Jersey: An Economic Impact Analysis. April 2008. Available online at: <http://mtanj.org/PDF/Economic%20Impact%20Study%20Final%20Report-1.pdf>. Accessed December 24, 2013.
- Marquez-M., R. 1994. Synopsis of biological data on the Kemp's ridley turtle, *Lepidochelys kempi* (Garman, 1880). (NOAA Technical Memorandum NMFS-SEFSC-343 or OCS Study MMS 94-0023, pp. 91) U.S. Department of Commerce, NOAA.
- Mate, B. R., Stafford, K. M., Nawojchik, R. & Dunn, J. L. 1994. Movements and dive behavior of a satellite-monitored Atlantic white-sided dolphin (*Lagenorhynchus acutus*) in the Gulf of Maine. Marine Mammal Science, 10, 116-121.

- Matte, A. and R. Waldhauer. 1984. Mid-Atlantic bight nutrient variability. U.S. Department of Commerce, National Oceanic and Atmospheric Administration. National Marine Fisheries Service. Northeast Fisheries Center, Sandy Hook Laboratory, Highlands, New Jersey, 07732. SHL, Report No. 84-15.
- McAlpine, D. F. & Walker, R. J. 1999. Additional extralimital records of the harp seal, *Phoca groenlandica*, from the Bay of Fundy, New Brunswick. Canadian Field-Naturalist, 113, 290-292.
- McBride, R. S., Harris, J. E., Hyle, A. R. & Holder, J. C. 2010. The spawning run of blueback herring in the St. Johns River, Florida. Transactions of the American Fisheries Society, 139(2), 598-609. 10.1577/t09-068.1
- McCauley, R.D. , Fewtrell, J., Duncan, A.J., Jenner, C., Jenner, M-N., Penrose, J.D., Prince, R.I.T., Adhitya, A., Murdoch, J. and McCabe, K. 2000. Marine Seismic Surveys – A Study of Environmental Implications. Australian Petroleum Production and Exploration Association Journal.
- McDonald, M. A., Hildebrand, J. A. & Mesnick, S. 2009. Worldwide decline in tonal frequencies of blue whale songs. Endangered Species Research, 9, 13-21. doi:10.3354/esr00217
- McKenna, M.F., D. Ross, S.M. Wiggin and J.A. Hildebrand. Underwater radiated noise from modern commercial ships. The Journal of the Acoustical Society of America, 131 (1).
- Mellone, U., P. Lopez-Lopez, R. Liminan, and V. Urios. 2011. Weather conditions promote route flexibility during open ocean crossing in a long-distance migratory raptor. International Journal of Biometeorology 55:463-468.
- Mendonca, C.T. and L.M. Erhart. 1982. Activity, population size, and structure of immature *Chelonia mydas* and *Caretta caretta* in Mosquito Lagoon, Florida. Copeia 1982(1): 161-167
- Merkel, F. R. and K. L. Johansen. 2011. Light-induced bird strikes on vessels in Southwest Greenland. Marine Pollution Bulletin 62:2330-2336.
- Merwin, Daria E. and David J. Bernstein. 2003. El Paso Project blue Atlantic Transmission System Project, Prehistoric Context for the Terrestrial and Nearshore Portions in New York and New Jersey. Submitted to R. Christopher Goodwin & Associates, Inc., Frederick, Maryland. Institute for Long Island Archaeology, Department of Anthropology, State University of New York at Stony Brook, Stony Brook, NY.
- Meylan, A., Schroeder, B. A. & Mosier, A. 1995. Florida Marine Research Publications: Sea turtle nesting activity in the State of Florida 1979-1992. (Vol. 52, 0095-0157, pp. 51). St. Petersburg, Florida: Florida Marine Research Institute.
- Mignucci-Giannoni, A. A. & Odell, D. K. 2001. Tropical and subtropical records of hooded seals (*Cystophora cristata*) dispel the myth of extant Caribbean monk seals (*Monachus tropicalis*). Bulletin of Marine Science, 68(1), 47-58.
- MMS (U.S. Department of the Interior, Minerals Management Service). 2000a. Environmental Assessment of the Gulf of Mexico Deepwater Operations and Activities. OCS EIS/EA MMS 2000-001. New Orleans, LA
- MMS. 2000b. Appraisal and Development of Pipeline Defect Assessment Technologies. Final Report: Phases L and LL. Document Reference CK109R001 Rev 0. June 2000.

- MMS. 2002. "Gulf of Mexico OCS Oil and Gas Lease Sales: 2003-2007. Central Planning Area Sales 185, 190, 194, 198, and 201. Western Planning Area Sales 187, 192, 196, and 200. Final Environmental Impact Statement." Volume I: Chapters 1-10. U.S. Department of the Interior, MMS Gulf of Mexico OCS Region, New Orleans.
- MMS. 2004a. Environmental Surveys of Potential Borrow Areas Offshore Northern New Jersey and Southern New York and The Environmental implications of Sand Removal for Coastal and Beach Restoration. Online at: http://www.appliedcoastal.com/pdf/00-36_NY_NJ/MMS_2004-044_report.pdf. Accessed 12 September 2013.
- MMS. 2004b. Geological and Geophysical Exploration for Mineral Resources on the Gulf of Mexico Outer Continental Shelf Final Programmatic Environmental Assessment, U.S. Department of the Interior Minerals Management Service, Gulf of Mexico OCS Region. pp. F-42. Available online at: <http://www.environmental%20assessment%2C%20u.s.%20department%20of%20the%20interior%20minerals%20management%20service>. Accessed on May 1, 2012.
- MMS. 2007. Outer Continental Shelf Oil and Gas Leasing Program: 2007-2012, Final Environmental Impact Statement. OCS EIS/EA MMS 2007-003. April 2007. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region. New Orleans, Louisiana.
- MMS. 2009. Atlantic OCS Area. Available online at: <http://www.gomr.boemre.gov/homepg/offshore/atlocs/atlocs.html>. Last accessed 10.12.2011.
- Mooney T. A., R. Hanlon, R.T. Madsen, J Christen-Dalsgaard, D.R. Ketten, and P.E. Nachtigall. 2012. Potential for Sound Sensitivity in Cephalopods: In A.N. Popper and A. Hawkins (eds.), The Effects of Noise on Aquatic Life, 125 Advances in Experimental Medicine and Biology 730, DOI 10.1007/978-1-4419-7311-5_28
- Moore, M. J., Bogomolni, A. L., Dennison, S. E., Early, G., Garner, M. M., Hayward, B. A., Rotstein, D. S. 2009. Gas bubbles in seals, dolphins, and porpoises entangled and drowned at depth in gillnets. *Veterinary Pathology*, 46(3), 536-547. doi:10.1354/vp.08-VP-0065-M-FL
- Moore, S. E., Waite, J. M., Friday, N. A. & Honkalehto, T. 2002. Cetacean distribution and relative abundance on the central-eastern and southeastern Bering Sea shelf with reference to oceanographic domains. *Progress in Oceanography*, 55, 249-261.
- Morano, J.L., Salisbury, D.P., Rice, A.N., Conklin, K.L., Falk, K.L., Clark, C.W. 2012. Seasonal and geographical patterns of fin whale song in the western North Atlantic Ocean. *J. Acoust. Soc. Am.*, 132(2), 1207-12
- Morreale, S. J., Meylan, A. B., Sadove, S. S. & Standora, E. A. 1992. Annual occurrence and winter mortality of marine turtles in New York waters. *Journal of Herpetology*, 26(3), 301-308.
- Morreale, S.J. and E.A. Standora. 1990. Occurrence, movement, and behavior of Kemp's Ridley and other sea turtles in New York waters. New York State Department of Environmental Conservation Annual Report. 48 pp
- Morreale, S.J. and E.A. Standora. 1998. Early life stage ecology of sea turtles in northeastern U.S. waters. (NOAA Technical Memorandum NMFS-SEFSC 413, pp. 49) U.S. Department of Commerce, NOAA.
- Mortimer, J. A. 1995. Feeding ecology of sea turtles. In K. A. Bjorndal (Ed.), *Biology and Conservation of Sea Turtles* (Revised ed., pp. 103-109). Washington, D.C: Smithsonian Institution Press.

- Mortimer, J. A. and Portier, K. M. 1989. Reproductive homing and internesting behaviour of the green turtle (*Chelonia mydas*) at Ascension Island, South Atlantic Ocean. *Copeia* 1989(4), 962-977.
- Mouw, C.B. and J.A. Yoder. 2005. Primary production calculations in the Mid-Atlantic Bight, including effects of phytoplankton community size structure. *Limnol. Oceanogr.* 50(4) 1232-1243.
- Mowbray, Thomas B. 2002. Northern Gannet (*Morus bassanus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/693>.
- Moyle, P. B. and Cech, J. J., Jr. 1996. Fishes: An Introduction to Ichthyology (3rd ed., pp. 590). Upper Saddle River, NJ: Prentice Hall.
- Mrosovsky, N., Ryan, G. D. & James, M. C. 2009. Leatherback turtles: The menace of plastic. *Marine Pollution Bulletin*, 58, 287-289.
- Muller, Martin J. and Robert W. Storer. 1999. Pied-billed Grebe (*Podilymbus podiceps*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/410>.
- Mullin, K. D. & Fulling, G. L. 2003. Abundance of cetaceans in the southern U.S. North Atlantic Ocean during summer 1998. *Fishery Bulletin*, 101(3), 603-613.
- Mullin, K. D., Hoggard, W. & Hansen, L. J. 2004. Abundance and seasonal occurrence of cetaceans in outer continental shelf and slope waters of the north-central and northwestern Gulf of Mexico. *Gulf of Mexico Science*, 22(1), 62-73.
- Musick, J. A. & Limpus, C. J. 1997. Habitat utilization and migration of juvenile sea turtles. In P. L. Lutz and J. A. Musick (Eds.), *The Biology of Sea Turtles* (Vol. 1, pp. 137-163). Boca Raton, Florida: CRC Press.
- National Park Service. 1994. Report on Effects of Aircraft Overflights on the National Park System. Prepared for Report to Congress.
- National Research Council. 1986. *Ecological Knowledge and Problem-Solving: Concepts as Case Studies*. The National Academies Press. Washington, D.C. 388 pp.
- NEFMC (New England Fishery Management Council). 1998a. Essential Fish Habitat Description, Windowpane Flounder (*Scophthalmus aquosus*). (pp. 6). Silver Spring, Maryland: National Marine Fisheries Service, Office of Habitat Conservation, Habitat Protection Division. Retrieved from http://www.nmfs.noaa.gov/habitat/habitatprotection/efh/GIS_inven.htm
- NEFMC. 1998b. Essential Fish Habitat Description, Winter Flounder (*Pleuronectes americanus*). (pp. 6). Silver Spring, Maryland: National Marine Fisheries Service, Office of Habitat Conservation, Habitat Protection Division. Retrieved from http://www.nmfs.noaa.gov/habitat/habitatprotection/efh/GIS_inven.htm
- NEFMC. 1998c. Essential Fish Habitat Description, Witch Flounder (*Glyptocephalus cynoglossus*). (pp. 5). Silver Spring, Maryland: National Marine Fisheries Service, Office of Habitat Conservation, Habitat Protection Division. Retrieved from http://www.nmfs.noaa.gov/habitat/habitatprotection/efh/GIS_inven.htm

- NEFMC. 1998d. Essential Fish Habitat Description, Yellowtail Flounder (*Pleuronectes ferruginea*). (pp. 6). Silver Spring, Maryland: National Marine Fisheries Service, Office of Habitat Conservation, Habitat Protection Division. Retrieved from http://www.nmfs.noaa.gov/habitat/habitatprotection/efh/GIS_inven.htm
- NEFMC and MAFMC (New England Fishery Management Council and Mid-Atlantic Fishery Management Council). 2006. Monkfish Fishery Management Plan Annual Specifications for the 2006 Fishing Year Incorporating Stock Assessment and Fishery Evaluation (SAFE) Report for the 2004 Fishing Year and the Environmental Assessment and Regulatory Impact Review. Newburyport, Massachusetts: New England Fishery Management Council.
- NEG (Northeast Gateway). 2005. Energy Bridge Deepwater Port Project : Massachusetts Bay : FEIR, Algonquin Gas Transmission, LLC
- Nelson, J. S. 2006. Fishes of the World (4th ed., pp. 601). Hoboken, NJ: John Wiley & Sons.
- Neptune Regional Transmission System. 2013. Project Description. Available at <http://www.neptunerts.com/>. Accessed on September 24, 2014.
- NER EFH SC (Northeast Region Essential Fish Habitat Steering Committee). 2002. Workshop on the effects of fishing gear on marine habitats off the Northeastern United States, October 23-25, 2001, Boston, MA. Northeast Fish. Sci. Cent. Ref. Doc. 02-01; 86 pp. Available from: National Marine Fisheries Service, 166 Water St., Woods Hole, MA 02543-1026.
- Neves, R. J. 1981. Offshore distribution of Alewife, *Alosa-Pseudoharengus*, and Blueback Herring, *Alosa aestivalis*, along the Atlantic coast. Fishery Bulletin, 79(3), 473-485.
- New York State. 2012. 2012 Recreational Boating Report. Online at: <http://nysparks.com/recreation/boating/documents/RecreationalBoatingReport.pdf>. Accessed 09 September 2013.
- Newcombe, C.P. and J.O. Jensen. 1996. Channel Suspended Sediment and Fisheries: A synthesis for Quantitative Assessment of Risk and Impact. North American Journal of Fisheries Management 16:693-727. American Fisheries Society 1996.
- Newton, I. 2007. Weather-related mass-mortality events in migrants. Ibis, 149(3), 453-467. doi: 10.1111/j.1474-919X.2007.00704.x
- Nisbet, I. C. T., C. S. Mostello, R. R. Veit, J. W. Fox, and V. Afanasyev. 2011. Migrations and winter quarters of five common terns tracked using Geolocators. Waterbirds 34:32-39
- NJDEP (New Jersey Department of Environmental Protection). 2010. Ocean/Wind Power Ecological Baseline Studies Final Report, January 2008 - December 2009. New Jersey Department of Environmental Protection, Office of Science, Trenton, NJ.
- NJDEP. 2013. New Jersey Saltwater Recreational Registry Program. Online at: <http://www.nj.gov/dep/saltwaterregistry/index.html>. Accessed 21 October 2013.
- NJGS (New Jersey Geological Survey). 2010. Earthquake Loss Estimation Study for New Jersey: Geologic Component. Available online at: <http://www.state.nj.us/dep/njgs/enviroed/hazus.htm>.
- NMFS and USFWS (National Marine Fisheries Service and U.S. Fish and Wildlife Service). 1992a. Recovery Plan for Leatherback Turtles *Dermochelys coriacea* in the U.S. Caribbean, Atlantic and Gulf of Mexico (pp. 65). Washington, D.C.: National Marine Fisheries Service.
- NMFS and USFWS. 1992b. Recovery Plan for the Kemp's Ridley Sea Turtle *Lepidochelys kempii*. (pp. 40). St. Petersburg, Florida: National Marine Fisheries Service.

- NMFS and USFWS. 1993. Recovery Plan for Hawksbill Turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. National Marine Fisheries Service, St. Petersburg, Florida.
- NMFS and USFWS. 2005. Final Recovery Plan for the Gulf of Maine Distinct Population Segment of Atlantic Salmon (*Salmo salar*). (pp. 325). Silver Spring, MD: National Marine Fisheries Service
- NMFS and USFWS. 2007. Kemp's Ridley Sea Turtle (*Lepidochelys kempii*) 5-Year Review: Summary and Evaluation. NMFS Office of Protected Resources, Silver Spring, MD and USFWS Southwest Region, Albuquerque, NM.
- NMFS and USFWS. 2007a. Green Sea Turtle (*Chelonia mydas*) 5-year review: Summary and Evaluation. (pp. 102). Silver Spring, MD: National Marine Fisheries Service.
- NMFS and USFWS. 2007b. Leatherback Sea Turtle (*Dermochelys coriacea*) 5-year review: Summary and evaluation. (pp. 79). Silver Spring, MD: National Marine Fisheries Service.
- NMFS and USFWS. 2009. Recovery Plan for the Northwest Atlantic Population of the Loggerhead Sea Turtle (*Caretta caretta*) [Second Revision]. (pp. 325). Silver Spring, MD: National Marine Fisheries Service.
- NMFS and USFWS. 2010. Bi-National Recovery Plan for the Kemp's Ridley Sea Turtle (*Lepidochelys kempii*) [Draft - Second Revision]. (pp. 174). Silver Spring, MD: U.S. Department of Commerce, NOAA.
- NMFS (National Marine Fisheries Service). 1993. Endangered Species Act Section 7 Consultation – Biological Opinion for Port Newark/Port Elizabeth Dredging and Ocean Disposal at the Mud Dump Site. 56 pp
- NMFS. 1994. Designated critical habitat; northern right whale. [Final rule]. Federal Register, 59, 1-30
- NMFS. 1998. Final Recovery Plan for the Shortnose Sturgeon (*Acipenser brevirostrum*). (pp. 104). Silver Spring, MD: National Marine Fisheries Service. Prepared by the Shortnose Sturgeon Recovery Team. Prepared for the National Marine Fisheries Service.
- NMFS. 2001. Information provided by Karen Greene, U.S. National Marine Fishery Service, Conservation Division, James J. Howard Marine Sciences Laboratory, Highlands, NJ
- NMFS. 2002. Endangered Species Act Section 7 Consultation – Biological Opinion for Sand Mining Activities in the Ambrose Channel. pp. 54
- NMFS. 2006a. *Draft Recovery Plan for the Fin Whale (Balaenoptera physalus)*. [Draft Report]. (pp. 78). Silver Spring, MD: National Marine Fisheries Service
- NMFS. 2006b. Recovery Plan for The Sperm Whale (*Physeter macrocephalus*) [Draft Report]. (pp. 92). Silver Spring, MD: National Marine Fisheries Service.
- NMFS. 2007. *Status Review of Atlantic sturgeon (Acipenser oxyrinchus oxyrinchus)*. (pp. 174). Silver Spring, MD: U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Regional Office. Prepared by Atlantic Sturgeon Status Review Team. Available from <http://www.nmfs.noaa.gov/pr/pdfs/statusreviews/atlanticsturgeon2007.pdf>
- NMFS. 2009a. Amendment 1 to the Final Consolidated Atlantic Highly Migratory Species Fishery Management Plan. Silver Spring, Maryland: National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Species Management Division.

- NMFS. 2009b. Annual Report to Congress on the status of U.S. fisheries - 2008. Silver Spring, Maryland: National Marine Fisheries Service. Retrieved from http://www.nmfs.noaa.gov/sfa/statusoffisheries/booklet_status_of_us_fisheries08.pdf
- NMFS. 2009c. Species of Concern: River Herring (*Alosa pseudoharengus* and *Alosa Aestivalis*) (Vol. 2011, pp. Species of Concern factsheet): National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources.
- NMFS. 2009d. Sperm Whale (*Physeter macrocephalus*): 5-Year Review: Summary and Evaluation. (pp. 41). Silver Spring, MD: National Marine Fisheries Service.
- NMFS. 2010a. Endangered and Threatened Wildlife; Notice of 90-Day Finding on a Petition to List Atlantic Sturgeon as Threatened or Endangered under the Endangered Species Act (ESA). [Proposed Rule]. *Federal Register*, 75(3), 838-841
- NMFS. 2010b. Species of Concern: Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*) (Vol. 2010, pp. Species of Concern factsheet): National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources
- NMFS. 2010c. Species of Concern: Basking Shark (*Cetorhinus maximus*) (Vol. 2010, pp. Species of Concern factsheet): National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources.
- NMFS. 2010d. *NOAA Fisheries Office of Protected Resources-Marine Turtles*: National Marine Fisheries Service and National Oceanic and Atmospheric Administration. Retrieved from <http://www.nmfs.noaa.gov/pr/species/turtles/>.
- NMFS. 2012a. Letter to C. Mallery, Chief, Department of the Army, New York District, Corps of Engineers. NAN-2012-00561-WSC Amboy Aggregates
- NMFS. 2012b. Green Turtle. Retrieved from <http://www.nmfs.noaa.gov/pr/species/turtles/green.htm>
- NMFS. 2012c. Endangered and Threatened Wildlife and Plants; Final Listing Determinations for Two Distinct Population Segments of Atlantic Sturgeon (*Acipenser oxyrinchus oxyrinchus*) in the Southeast. [Final Rule]. *Federal Register*, 77(24), 5914-5982
- NOAA (National Oceanic and Atmospheric Administration). 2006. Endangered Fish and Wildlife; Proposed Rule to Implement Speed Restrictions to Reduce the Threat of Ship Collisions with North Atlantic Right Whales. *Federal Register*, 71(122), 36299-36313
- NOAA. 2008. Final Rule To Implement Speed Restrictions to Reduce the Threat of Ship Collisions With North Atlantic Right Whales. *Federal Register*, 73(198), 60173-60191
- NOAA. 2010. Ocean Explorer Sound in the Sea. Understanding Ocean Acoustics. NOAA Ocean Explorer Website. Available online at: <http://oceanexplorer.noaa.gov/explorations/sound01/background/acoustics/acoustics.html>. Accessed May 1, 2012.
- NOAA. 2012a. Tides and Currents Data Base. Tide data for Sandy Hook, NJ, Tide Station ID: 8531680. Available at <http://tidesandcurrents.noaa.gov>. Accessed April 25, 2012.
- NOAA. 2012b. National Buoy Data Center. Wave and Temperature Data for Ambrose Light Station (NDBC Station ALSN6). Available at <http://www.ndbc.noaa.gov/>. Accessed June 25, 2012.
- NOAA. 2012c. National Buoy Data Center. Historical Ocean Data for National Buoy Data Center Station 44025. Available at <http://www.ndbc.noaa.gov/>. Accessed May 10, 2012.

- NOAA. 2010. Ocean Explorer Sound in the Sea. Understanding Ocean Acoustics. NOAA Ocean Explorer Website. Available online at: <http://oceanexplorer.noaa.gov/explorations/sound01/background/acoustics/acoustics.html>. Accessed May 1, 2012.
- NOAA. 2013. Available online at: <http://www.habitat.noaa.gov/protection/efh/newInv/index.html>
- NOAA. 2013a. Available online at: <http://marinedebris.noaa.gov/marinedebris101/welcome.html>
- NOAA. 2013b. Office of Coast Survey Nautical Charts and Publications. <http://www.nauticalcharts.noaa.gov/staff/chartspubs.html>
- NOAA and BOEM. 2013. Marine Cadastre Viewer v3.0. <http://www.marinecadastre.gov>. Last visited on 5/15/2013
- NOAA Fisheries (National Oceanic and Atmospheric Administration, National Marine Fisheries Service). 2011. Total Commercial Fishery Landings at Major U.S. Ports Summarized By Year and Ranked By Dollar Value. Online at: <http://www.st.nmfs.noaa.gov/commercial-fisheries/commercial-landings/other-specialized-programs/total-commercial-fishery-landings-at-major-u-s-ports-summarized-by-year-and-ranked-by-dollar-value/index>. Accessed 09 September 2013.
- NOAA Fisheries. 2013a. Annual Commercial Landing Statistics. Office of Science and Technology. Accessed September 2013 at <http://www.st.nmfs.noaa.gov/commercial-fisheries/commercial-landings/annual-landings/index>
- NOAA Fisheries. 2013b. Recreational Fisheries Statistics Queries. Office of Science and Technology. Online at: <http://www.st.nmfs.noaa.gov/recreational-fisheries/access-data/run-a-data-query/queries/index>. Accessed 21 January 2013.
- NOAA Fisheries. 2013c. Draft Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammals Acoustic Threshold Levels for Onset of Permanent and Temporary Threshold Shifts Draft: December 23. Available online at http://www.nmfs.noaa.gov/pr/acoustics/draft_acoustic_guidance_2013.pdf
- NOAA Fisheries. 2014. Loggerhead Sea Turtle Critical Habitat in the Northwest Atlantic Ocean. http://www.nmfs.noaa.gov/pr/species/turtles/criticalhabitat_loggerhead.htm. Accessed on October 8, 2014.
- NOAA/NMFS (National Oceanic and Atmospheric Administration/National Marine Fisheries Service). 2012a. Sea Turtles. Retrieved from <http://www.nmfs.noaa.gov/pr/species/turtles/>
- NOAA/NMFS. 2012b. Cetaceans: Whales, Dolphins, and Porpoises. Office of Protected Resources. <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/>. Accessed on November 17, 2013
- NOAA/NMFS/NERO (NOAA Fisheries, Northeast Regional Office). 2013. Guide to EFH Descriptions. Online at: <http://www.nero.noaa.gov/hcd/index2a.htm>. Accessed December 2013.
- NOEP (National Ocean Economics Program). 2010. Ocean Economy Data. Online at: <http://www.oceaneconomics.org/Market/ocean/oceanEcon.asp>. Accessed 09 September 2013.
- NOEP. 2013. Natural Resources - Top Commercial Fishing Ports Search Results. 2010. Center for the Blue Economy at the Monterey Institute of International Studies. Accessed September 2013 at <http://www.oceaneconomics.org/LMR/topPortsResults.asp?selRegions=MA&selStates=34&selStates=36&selYears=2010&selOut=display&noepID=unknown>

- North American Bird Conservation Initiative, U.S. Committee. 2009. The State of the Birds, United States of America, 2009 [electronic version]. (pp. 36). Washington, D.C.: U.S. Department of Interior. Retrieved from http://www.stateofthebirds.org/pdf_files/State_of_the_Birds_2009.pdf
- Northrop, J. 1974. Detection of low-frequency underwater sounds from a submarine volcano in the Western Pacific. *Journal of the Acoustical Society of America*, 56(3), 837-841. September.
- NPS (National Park Service). 2012. U.S. Department of the Interior. Gateway National Recreation Area. Online at: <http://www.nps.gov/gate/index.htm>. Accessed on May 22, 2012
- NRC (National Research Council). 1990. Decline of the sea turtles: Causes and prevention. National Academy Press, Washington, D.C., 259 pp
- NRC (National Research Council). 2003. Ocean noise and marine mammals. National Academy Press; Washington, D.C. Available online at: <http://www.nap.edu/openbook.php?isbn=0309085365>. Accessed on May 1, 2012.
- NRC (Nuclear Regulatory Commission). 2012a. Location of Projected Nuclear Power Reactors. Available at: <http://www.nrc.gov/reactors/new-reactors/col/new-reactor-map.html>. Accessed October 2013.
- NYCDEP (New York City Department of Environmental Protection). 2011. “Department of Environmental Protection and Department of Buildings Unveil New Program to Streamline Approval Process For Upgrading Boilers” [Press Release 11-39]. May 23. Available at: http://www.nyc.gov/html/dep/html/press_releases/11-39pr.shtml.
- NYCDOT (New York City Department of Transportation). 2013. Ferry Information. Accessed September 2013 at <http://www.nyc.gov/html/dot/html/ferrybus/ferintro.shtml>.
- NYCruiseInfo. 2013. NYCruiseInfo and CruisesNYC Cruise Schedule from New York, Manhattan, Brooklyn, Cape Liberty (Bayonne) New Jersey. Accessed September 2013 at <http://www.nycruiseinfo.com/Cruise-Schedule/CRUISE-SCHEDULE-MAIN-MENU.html>
- NYDOS (New York Department of State). 2013. Offshore Atlantic Ocean Study. http://docs.dos.ny.gov/communitieswaterfronts/ocean_docs/NYSDOS_Offshore_Atlantic_Ocean_Study.pdf
- NYISO (New York Independent System Operator). 2012. Powering New York – Electric Generation Capacity by Fuel Type: 2012. Available at: http://www.nyiso.com/public/about_nyiso/importance_of_reliability/powering_new_york/index.jsp. Accessed October 2013.
- NYSDEC (New York State Department of Environmental Conservation). 2012. Atlantic Hawksbill Sea Turtle Fact Sheet. Retrieved from <http://www.dec.ny.gov/animals/7170.html>
- NYSDEC. 2013a. Artificial Reef Locations. Accessed September 2013 at <http://www.dec.ny.gov/outdoor/71702.html>
- NYSDEC. 2013b. Humpback Whale Fact Sheet. Retrieved from <http://www.dec.ny.gov/animals/9365.html>
- NYSDEC. 2013c. North Atlantic Right Whale Fact Sheet. Retrieved from <http://www.dec.ny.gov/animals/9364.html>
- NYSDEC. 2014. Available online at <http://www.dec.ny.gov/energy/94702.html>. Accessed on September 22, 2014.

NYSDEC. No Date. Recreational Marine Fishing Registry. Online at:
<http://www.dec.ny.gov/permits/54950.html>. Accessed 21 October 2013.

NYSEP (New York State Energy Plan). 2009. New York State Energy Planning Board. Volume I: Objectives and Strategies. December. Available at <http://www.nysenergyplan.com/2009stateenergyplan.html>.

NYSERDA (New York State Energy Research and Development Authority). 2010. Summary of Physical and Environmental Qualities for the Proposed Long Island New York City OffShore Wind Project Area – Final Report. NYSERDA Report 10-22. Accessed <http://www.linycoffshorewind.com/faq.html> November 24, 2104.

NYSERDA. 2014. New York State Inventory and Forecast: Inventory 1990-2011 and Forecast 2012-2030, Final Report, April.

O'Connell, A. F., B. Gardner, A. T. Gilbert, and K. Laurent. 2009. Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States, Final Report (Database Section Seabirds). Prepared by the USGS Patuxent Wildlife Research Center, Beltsville, MD. U.S. Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.

O'Connell, A., A. Gilbert, and S. Johnston. 2008. Modeling seabird distributions in offshore waters between Maine and Florida: minimizing conflicts with proposed wind energy development. U.S. Geological Survey, Patuxent Wildlife Research Center, Maryland and U.S. Fish and Wildlife Service, Northeast Region

O'Connell, A., C. S. Spiegel, and S. Johnson. 2011. Compendium of Avian Occurrence Information for the Continental Shelf Waters along the Atlantic Coast of the United States, Final Report (Database Section - Shorebirds). Prepared by the U.S. Fish and Wildlife Service, Hadley, MD for the USGS Patuxent Wildlife Research Center, Beltsville, MD. U.S. Department of the Interior, Geological Survey, and Bureau of Ocean Energy Management Headquarters, OCS Study BOEM 2012-076.

Ocean Conservancy. 2010. Trash travels: from our hands to the sea, around the globe, and through time. Catherine C. Fox (Ed.), International Coastal Cleanup report. (pp. 60) The Ocean conservancy.

OGP/IAGC (International Association of Oil & Gas Producers). 2004. Seismic Surveys and Marine Mammals. Available online at: <http://www.ogp.org.uk/pubs/358.pdf>.

Olsen, E., Budgell, W. P., Head, E., Kleivane, L., Nøtttestad, L., Prieto, P., Øien, N. 2009. First satellite-tracked long-distance movement of a sei whale (*Balaenoptera borealis*) in the North Atlantic. Aquatic Mammals, 35(3), 313-318. doi: 10.1578/AM.35.3.2009.313

Onley, D. & Scofield, P. 2007. Albatrosses, Petrels and Shearwaters of the World (Printed Book, pp. 240). Princeton, NJ: Princeton University Press.

ONR (Office of Naval Research). 2005. Ocean Life: Green Sea Turtle – Current Research. Internet Web site: <http://www.onr.navy.mil/focus/ocean/life/turtle4.htm>.

O'Reilly, J. E. and D. A. Busch. 1982. Phytoplankton primary production (netplankton, nannoplankton and release of dissolved organic carbon) on the northwestern Atlantic shelf. Paper No. 12. In: ICES, Symposium on Biological Productivity of Continental Shelves in the Temperate Zone of the North Atlantic March 2-5, 1982, Kiel, Federal Republic of Germany).

- OSI (Ocean Surveys, Inc.). 2012. Geophysical Investigations Port Ambrose Project Deepwater Port And Natural Gas Pipeline New York Bight, Atlantic Ocean, OSI Report #11ESO92-1
- PACE. 2012. Energy Efficiency in New York: Midcourse Status Report of '15 by 15'. Pace Energy and Climate Center, PACE Law School, October 2012. <http://energy.pace.edu/publications/energy-efficiency-new-york-midcourse-status-report-15-15>.
- Pace, R. and G. Silber. 2005. Simple Analyses of Ship and Large Whale collisions: Does Speed Kill? National Marine Fisheries Service, Office of Protected Resources. Silver Springs, MD.
- Packard A., H.E. Karlsen, and O. Sand. 1990. Low frequency hearing in cephalopods. J Comp Physiol A 166:501-505.doi:10.1007/BF00192020
- Palka, D., Read, A. & Potter, C. 1997. Summary of knowledge of white-sided dolphins (*Lagenorhynchus acutus*) from US and Canadian Atlantic waters. Reports of the International Whaling Commission, 47, 729-734.
- PANYNJ (Port Authority of New York and New Jersey). 2012. The Port Authority of New York and New Jersey Port Commerce Department 2010 Multi-Facility Emission Inventory, prepared by Starcrest Consulting Group, LLC, December.
- PANYNJ. 2013b. About the Port. Accessed September 2013 at <http://www.panynj.gov/port/about-port.html>
- PANYNJ. 2013a. Overview of Facilities and Services. Accessed September 2013 at <http://www.panynj.gov/about/facilities-services.html>
- PANYNJ. 2013c. 2012 Trade Statistics: The Port of New York and New Jersey. Online at: http://www.panynj.gov/port/pdf/2012_trade_statistics_sheet.pdf. Accessed 12 September 2013.
- Parin, N. V. 1984. Oceanic Ichthyogeography: an attempt to review the distribution and origin of pelagic and bottom fishes outside continental shelves and neritic zones. Fourth Congress of European Ichthyologists, 35(1), 5-41.
- Parkman, A. 1983. History of the Waterways of the Atlantic Coast of the United States. National Waterways Study, U.S. Army Corps of Engineers Water Resources Support Center, Institute for Water Resources. Navigation History NWS-83-10.
- Patin, Stanislav. 1999. Environmental Impact of the Offshore Oil and Gas Industry. East Northport, NY: EcoMonitor Publishing.
- Patrician, M.R. and R.D. Kenney. 2010. Using the continuous plankton recorder to investigate the absence of North Atlantic right whales (*Eubalaena glacialis*) from the Roseway Basin foraging ground. *Journal of Plankton Research* 32: 1685-1695
- Paxton, J. R. & Eshmeyer, W. N. (Eds.). 1998. Encyclopedia of Fishes (2nd ed., pp. 240). San Diego, CA: Academic Press.
- Payne, K. & Payne, R. 1985. Large scale changes over 19 years in songs of humpback whales in Bermuda. *Zeitschrift fur Tierpsychologie* 68, 89-114.
- Payne, P. M., Heinemann, D. W. & Selzer, L. A. 1990. A Distributional Assessment of Cetaceans in Shelf/Shelf-Edge and Adjacent Slope Waters of the Northeastern United States Based on Aerial and Shipboard Surveys, 1978-1988 [Contract report]. (pp. 108). Woods Hole, MA: U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center.

- Pelletier, S., T. Peterson, S. Boyden, K. Watrous, and J. Pekrins. 2013. Ongoing offshore acoustic bat research in the Atlantic & Great Lakes regions. In J.-. Presentation at the Northeast Bat Working Group, 2013. Albany, New York. Stantec Consulting, editor.
- Peña, J. 2006. Plotting Kemp's Ridleys, plotting the future of sea turtle conservation. In R. B. Mast, L. M. Bailey and B. J. Hutchinson (Eds.), SWoT Report. (Vol. 1, pp. 20). Washington, D.C.: The State of the World's Sea Turtles.
- Pendleton, D.E., Pershing A.J., Brown M.W., Mayo C.A., Kenney R.D., Record N.R., Cole T.V.N. 2009. Regional scale mean copepod concentration indicates relative abundance of North Atlantic right whales. Mar EcolProg Ser 378:211-225.
- Pendleton D.E., Sullivan P.J., Brown M.W., Cole T.V.N., Good C.P., Mayo C.A., Monger B.C., Phillips S., Record N.R., Pershing A.J. 2012. Weekly predictions of North Atlantic right whale *Eubalaena glacialis* habitat reveal influence of prey abundance and seasonality of habitat preferences. Mar Ecol Prog Ser. 18:147-161
- Perkins, S., T. Allison, A. Jones, and G. Sadoti. 2004. A survey of tern activity within Nantucket Sound, Massachusetts, during premigratory fall staging. Final Report for the Massachusetts Technology Collaborative.23
- Perrin, W. F. & Brownell, R. L. 2008. Minke whales *Balaenoptera acutorostrata* and *B. bonaerensis* W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), Encyclopedia of Marine Mammals (2nd ed., pp. 733-735). Academic Press.
- Perrin, W. F. 2002. *Stenella frontalis*. Mammalian Species, 702, 1-6.
- Perrin, W. F. 2008. Atlantic spotted dolphin *Stenella frontalis*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), Encyclopedia of Marine Mammals (2nd ed., pp. 54-56). Academic Press.
- Perrin, W. F., Caldwell, D. K. & Caldwell, M. C. 1994. Atlantic spotted dolphin *Stenella frontalis* (G. Cuvier, 1829). In S. H. Ridgway and R. Harrison (Eds.), Handbook of Marine Mammals (Vol. 5: The First Book of Dolphins, pp. 173-190). San Diego, CA: Academic Press.
- Petersen, I. K., T. K. Christensen, J. Kahlert, M. Desholm, and A. D. Fox. 2006. Final results of bird studies at the offshore wind farms at Nysted and Horns Rev, Denmark. National Environmental Research Institute, Roskilde, Denmark.
- PHMSA. (Pipeline and Hazardous Materials Safety Administration). 2013. Pipeline Safety Stakeholder Communications Significant Pipeline Incidents. http://primis.phmsa.dot.gov/comm/reports/safety/sigpsi.html#_ngtrans
- Pierotti, R. J. and T. P. Good. 1994. Herring Gull (*Larus argentatus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/124>.
- Pinet, P.R. 1992. Oceanography. (In) Monroe, James S., and R. Wicander, (eds). The Changing Earth, Exploring Geology and Evolution, Third Edition. Boriks/Cole, 511 Forest Lodge Road, Pacific Grove, CA 93950. Copyright 2001. The Wadsworth Group, a Division of Thomson Learning, Inc.
- Pitcher, T. J. 1995. The impact of pelagic fish behavior on fisheries. Scientia Marina, 59(3-4), 295-306.

- PlaNYC (The City of New York). 2012. Inventory of New York City Greenhouse Gas Emissions, December 2012. Editors Jonathan Dickinson, Jamil Khan, Douglas Price, Steven A. Caputo, Jr. and Sergej Mahnovski. Mayor's Office of Long-Term Planning and Sustainability, New York. Available online at http://www.nyc.gov/html/dem/downloads/pdf/greenhousegas_2012.pdf.
- PlaNYC. 2013. PlaNYC Progress Report 2013. The City of New York. Available at: http://nytelecom.vo.llnwd.net/o15/agencies/planyc2030/pdf/planyc_progress_report_2013.pdf
- Plint, G.A., N. Eyles, C.H. Eyles, and R.G. Walker. 1992. Control of Sea Level Change (In) Walker, Roger G. and N.P. James (eds.). Facies Models, Response to Sea Level Change. Geological Association of Canada.
- Plummer, C., D. McGeary, and D.H. Carlson. 2003. Physical Geology, Ninth edition. McGraw-Hill, 1221 Avenue of the Americas, New York, NY 10020. Copyright 2003.
- Plumpton, D. 2006. Review of Studies Related to Aircraft Noise Disturbance of Waterfowl A Technical Report in Support of the Supplemental Environmental Impact Statement (SEIS) for Introduction of F/A-18 E/F (Super Hornet) Aircraft to the East Coast of the United States. (pp. 93). Prepared for U.S. Department of the Navy.
- Poland, R. H. C., G. B. Hall, and M. Smith. 1996. Turtles and tourists: A hands-on experience of conservation for sixth formers from King's College, Taunton, on the Ionian Island of Zakynthos. *Journal of Biological Education* 30 (2):120-128
- Poole, A. (Editor). 2005. The Birds of North America Online: <http://bna.birds.cornell.edu/BNA/>. Cornell Laboratory of Ornithology, Ithaca, NY.
- Poole, A. F., Bierregaard, R. O. & Martell, M. S. 2002. Osprey (*Pandion haliaetus*). In A. Poole (Ed.), The Birds of North America Online (Vol. 2011). Ithaca, New York: Cornell Lab of Ornithology.
- Poot, H., Ens, B. J., de Vries, H., Donners, M. A. H., Wernand, M. R. & Marquenie, J. M. 2008. Green light for nocturnally migrating birds. *Ecology and Society*, 13(2). Retrieved from <http://www.ecologyandsociety.org/vol13/iss2/art47/>
- Popper, A., Hawkins, A., Fay, R., Mann, D., Bartol, S., Carlson, T., Coombs, S., Ellison, W., Gentry, R., Halvorsen, M., Løkkeborg, S., Rogers, P., Southall, B., Zeddes, D., and W. Tavolga. 2014. Sound Exposure Guidelines for Fish and Sea Turtles: A Technical Report prepared by the ANSI-Accredited Standards Committee. April.
- Popper, A.N., T.J. Carlson, A.D. Hawkins, B.L. Southall, and R.L. Gentry. 2006. Interim Criteria for Injury of Fish Exposed to Pile Driving Operations: A white paper.
- Popper, A. N. & Fay, R. R. 2010. Rethinking sound detection by fishes. *Hearing Research*. doi: DOI: 10.1016/j.heares.2009.12.023 Retrieved from <http://www.sciencedirect.com/science/article/B6T73-4Y0KWGD-1/2/7a2c622709c6199f8a4051cbbbffbd8c>
- Popper, A. N. & Schilt, C. R. 2008. Hearing and acoustic behavior (basic and applied) J. F. Webb, R. R. Fay and A. N. Popper (Eds.), *Fish Bioacoustics*. New York: Springer Science + Business Media, LLC.
- Popper, A. N. 2003. Effects of anthropogenic sounds on fishes. *Fisheries*, 28(10), 24-31.
- Popper, A. N. 2008. Effects of Mid- and High-Frequency Sonars on Fish Naval Undersea Warfare Center Division (NUWC) (Ed.). (pp. 52). Newport, Rhode Island.

- Port of Coeymans Marine Terminal. 2014. General information regarding the Port. Available online at: <http://www.portofcoeymans.com/specifications/>. Accessed September 23, 2014.
- Poseidon Transmission LLC. 2012. The Poseidon Project: Long Island's Energy Future Begins with Transmission. Poseidon Transmission LLC's Response to New York Energy Highway's Request for Information. May 30, 2012. Available at: <http://www.nyenergyhighway.com/Content/documents/7.pdf>. Accessed on September 24, 2014.
- Prescott, R. 1982. Harbor seals: Mysterious lords of the winter beach. Cape Cod Life, 3(4), 24-29.
- Pritchard, P.C.H. P.R. Bacon, F.H. Berry, J. Fletemeyer, A.F. Carr, R.M. Gallagher. R.R. Lankford, R. Marquez, L.H. Ogren, W.G. Pringle, Jr., H.M. Reichardt, and R. Witham. 1983. Sea turtle manual of research and conservation techniques. Western Atlantic Turtle Symposium
- Pytte, C. L., Rusch, K. M. and Ficken, M. S. 2003. Regulation of vocal amplitude by the blue-throated hummingbird, *Lampornis clemenciae*. Anim. Behav. 66, 703-710.
- Quonset Development Corporation. 2011. Development Package, Quonset Business Park. May 2011. Available online at: [http://sos.ri.gov/documents/archives/regdocs/released/pdf/RIEDC/6448.pdf/](http://sos.ri.gov/documents/archives/regdocs/released/pdf/RIEDC/6448.pdf). Accessed September 23, 2014.
- Raj, P.P.K. , A.N Moussa, and K. Aravamudan. Experiments involving pool and vapor fires from spills of liquefied natural gas on water, Arthur D. Little, ADA 077073, June 1979.
- Ramcharitar, J. U., Deng, X., Ketten, D. & Popper, A. N. 2004. Form and function in the unique inner ear of a teleost: The silver perch (*Bairdiella chrysoura*). Journal of Comparative Neurology, 475(4), 531-539.
- Ramcharitar, J. U., Higgs, D. M. & Popper, A. N. 2006. Audition in sciaenid fishes with different swim bladder-inner ear configurations. Journal of the Acoustical Society of America, 119(1), 439-443.
- Rasmussen, M. H., Miller, L. A. & Au, W. W. L. 2002. Source levels of clicks from free-ranging white-beaked dolphins (*Lagenorhynchus albirostris* Gray 1846) recorded in Icelandic waters. Journal of the Acoustical Society of America, 111(2), 1122-1125.
- RCG&A (R. Christopher Goodwin & Associates, Inc.). 2012a. Archeological Resources Survey and Cultural Resources Assessment for the Port Ambrose Project, New York State Waters. Report prepared for Liberty Natural Gas, LLC., NY.
- RCG&A. 2012b. Archeological Survey and Cultural Resources - Preliminary Assessment, Port Ambrose Project, State and Federal Waters, Offshore New York. Report prepared for Liberty Natural Gas, LLC., NY.
- RCG&A. 2012c. Archeological Resources Survey and Cultural Resources Assessment for the Port Ambrose Project, Federal Waters Offshore New York. Report prepared for Liberty Natural Gas, LLC., NY.
- Read, A. J. & Westgate, A. J. 1997. Monitoring the movements of harbour porpoises (*Phocoena phocoena*) with satellite telemetry. Marine Biology, 130, 315-322.
- Read, A. J. 1999. Harbor porpoise *Phocoena phocoena* (Linnaeus, 1758). In S. H. Ridgway and R. Harrison (Eds.), Handbook of marine mammals (Vol. 6: The Second Book of Dolphins and the Porpoises, pp. 323-355). San Diego, CA: Academic Press.

- Reeves, R. R., Smith, T. D., Josephson, E. A., Clapham, P. J. & Woolmer, G. 2004. Historical observations of humpback and blue whales in the North Atlantic Ocean: Clues to migratory routes and possible additional feeding grounds. *Marine Mammal Science*, 20(4), 774-786. doi:10.1111/j.1748-7692.2004.tb01192
- Reeves, R. R., Stewart, B. S., Clapham, P. J. & Powell, J. A. 2002. National Audubon Society Guide to Marine Mammals of the World (pp. 527). New York, NY: Alfred A. Knopf.
- Reshetiloff, K. 2004. Chesapeake Bay: Introduction to an Ecosystem. (EPA 903-R-04-003 and CBP/TRS 232/00). Washington, D.C.: Environmental Protection Agency.
- Rice, D. W. 1998. Marine Mammals of the World: Systematics and Distribution D. Wartzok (Ed.), (Society for Marine Mammalogy Special Publication 4, pp. 231). Lawrence, KS: Allen Press.
- Richardson, W., C.R. Greene, C.I. Malme, and D.H. Thomson (Eds.). 1995. Marine Mammals and Noise. Academic Press, Inc. San Diego, CA. Available online at: <http://books.google.com.au/books?hl=en&lr=&id=OIWmaG906jgC&oi=fnd&pg=PA1&dq=Richardson+1995.+Marine+Mammals+and+Noise.&ots=jJNaQnc8Ti&sig=6yVNussWeL7TzyAturerDW9XEMo#v=onepage&q=Richardson%201995.%20Marine%20Mammals%20and%20Noise.&f=false>
- Rickel, S. & Genin, A. 2005. Twilight transitions in coral reef fish: the input of light-induced changes in foraging behaviour. *Animal Behaviour*, 70, 133-144. doi: 10.1016/j.anbehav.2004.10.014
- Robbins, J. 2011. Scar-based inference into Gulf of Maine humpback whale entanglement: 2009. Report to the National Marine Fisheries Service. Order Number EA133F09CN0253.
- Robertson, Gregory J. and Jean-Pierre L. Savard. 2002. Long-tailed Duck (*Clangula hyemalis*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/651> doi:10.2173/bna.651
- Roden, C. L. & Mullin, K. D. 2000. Sightings of cetaceans in the northern Caribbean Sea and adjacent waters, winter 1995. *Caribbean Journal of Science*, 36(3-4), 280-288.
- Rough, V. 1995. Gray Seals in Nantucket Sound, Massachusetts: Winter and Spring, 1994 [Final Report]. (Contract Number T10155615). Washington, DC: U.S. Marine Mammal Commission.
- Rowat, D., Meekan, M., Engelhardt, U., Pardigon, B. & Vely, M. 2007. Aggregations of juvenile whale sharks (*Rhincodon typus*) in the Gulf of Tadjoura, Djibouti. *Environmental Biology of Fishes*, 80(4), 465-472. doi: 10.1007/s10641-006-9148-7
- Ryberg, Kathryn, et al. 2012. Archeological Resource Survey and Cultural Resources Assessment for the Port Ambrose Project, Federal Waters, Offshore New York. R. Christopher Goodwin & Associates, Inc., Frederick, Maryland. Prepared for Liberty Natural Gas, LLC, New York.
- Sale, A., Luschi, P., Mencacci, R., Lambardi, P., Hughes, G. R., Hays, G. C., Papi, F. 2006. Long-term monitoring of leatherback turtle diving behaviour during oceanic movements. *Journal of Experimental Marine Biology and Ecology*, 328, 197-210. doi:10.1016/j.jembe.2005.07.006
- Sandia (Sandia National Laboratories). 2004. Guidance on Risk Analysis and Safety Implications of a Large Liquefied Natural Gas (LNG) Spill Over Water. Report No. SAND2004-6258.

- Sandia. 2008. Breach and Safety Analysis of Spills Over Water from Large Liquefied Natural Gas Carriers. A.Luketa, M.M. Hightower, S. Attaway. Prepared by Sandia National Laboratories. SAND2008-3153. May.
- Saratoga Associates. 2012. Port Ambrose Project Visual Impact Assessment. June 14, 2012. Prepared for AECOM. Accessed September 2013 at <http://portambrose.com/project-application-materials/volume-2-topic-8-coastal-zone-use-recreation-and-aesthetics/>
- Schmidt, James S., et al. 2012. Archeological Resource Survey and Cultural Resources Assessment, Port Ambrose, New York State Waters. R. Christopher Goodwin & Associates, Inc., Frederick, Maryland. Prepared for Liberty Natural Gas, LLC, New York.
- Schneider, D. C. & Payne, P. M. 1983. Factors affecting haul-out of harbor seals at a site in southeastern Massachusetts. *Journal of Mammalogy*, 64(3), 518-520.
- Schoenherr, J. R. 1991. Blue whales feeding on high concentrations of euphausiids around Monterey Submarine Canyon. *Canadian Journal of Zoology*, 69, 583-594.
- Schofield, O., L. Bowers, G. Fotti, S. Glenn, D. Gong, A. Kahl, J. Kohut, M. Oliver, J. Wilkin, and R. Chant. 2006. Studying the Dynamics and Biological Significance of the Hudson River Using an Ocean Observatory.
- Schwab, W. C., Denny, J. F., Foster, D. S., Lotto, L. L., Allison, M. A., Uchupi, E., Swift, B. A., Danforth, W. W., Thieler, R.E., and Butman, B. 2002. High-Resolution Quaternary Seismic Stratigraphy of the New York Bight Continental Shelf: Open-File Report OFR02-152, U.S. Geological Survey, Woods Hole, MA.
- Schwartz, F. J. 1989. Zoogeography and Ecology of Fish Inhabiting North Carolina's Marine Waters to Depths of 600 Meters R. Y. George and A. W. Hulbert (Eds.). (National Undersea Research Program Report 89-2, pp. 335-374). Silver Spring, Maryland National Oceanic and Atmospheric Administration.
- Seageant, D.E. 1969. Feeding rates of cetacea. *FiskDir. Skr. Ser. HavUnders.* 15, 246-258.
- Secor, D. H., Niklitschek, E. J., Stevenson, J. T., Gunderson, T. E., Minkkinen, S. P., Richardson, B., Henderson-Arzapalo, A. 2000. Dispersal and growth of yearling Atlantic sturgeon, *Acipenser oxyrinchus* released into Chesapeake Bay. *Fishery Bulletin*, 98(4), 800-810.
- Selzer, L. A. & Payne, P. M. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Marine Mammal Science*, 4(2), 141-153.
- Seney, E. E. & Musick, J. A. 2005. Diet analysis of Kemp's ridley sea turtles (*Lepidochelys kempii*) in Virginia. *Chelonian Conservation and Biology*, 4(4), 864-871.
- Shoop, C. R. and R. D. Kenney. 1992. Seasonal distributions and abundance of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetological Monographs*, 6. 1992. 43-67
- Sibert, J., Hampton, J., Kleiber, P. & Maunder, M. 2006. Biomass, size, and trophic status of top predators in the Pacific Ocean. *Science*, 314(5806), 1773-1776. doi: 10.1126/science.1135347
- Sibley, D. A. 2007. National Audubon Society: The Sibley Guide to Birds (Printed Book, 9th ed., pp. 544). New York, NY: Chanticleer Press.

- Silber, G. K., Vanderlaan, A. S. M., Tejedor Arceredillo, A., Johnson, L., Taggart, C. T., Brown, M. W., Sagarminaga, R. 2012. The role of the International Maritime Organization in reducing vessel threat to whales: Process, options, action and effectiveness. *Marine Policy*, 36(6), 1221-1233. doi:10.1016/j.marpol.2012.03.008
- Skaug, H. J., Øien, N., Schweder, T. & Bøthun, G. 2004. Abundance of minke whales (*Balaenoptera acutorostrata*) in the Northeast Atlantic: variability in time and space. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 870-886. doi:10.1139/f04-020
- Skov, H., Durinck, J. & Bloch, D. 2003. Habitat characteristics of the shelf distribution of the harbour porpoise (*Phocoena phocoena*) in the waters around the Faroe Islands during summer. *NAMMCO Scientific Publications*, 5, 31-40.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, Jr., D. Kastak, D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas, and P.L. Tyack. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* 33:411-521.
- Spear, L. B. & Ainley, D. G. 1997. Flight behaviour of seabirds in relation to wind direction and wing morphology. [Electronic Version]. *IBIS*, 139(2), 221-233. doi: 10.1111/j.1474-919X.1997.tb04620.x
- Stein, A. B., Friedland, K. D. & Sutherland, M. 2004. Atlantic sturgeon marine distribution and habitat use along the northeastern coast of the United States. *Transactions of the American Fisheries Society*, 133(3), 527-537.
- Stevens, J. D. 2007. Whale shark (*Rhincodon typus*) biology and ecology: A review of the primary literature. *Fisheries Research*, 84(1), 4-9. doi: 10.1016/j.fishres.2006.11.008
- Stevick, P. T. & Fernald, T. W. 1998. Increase in extralimital records of harp seals in Maine. *Northeastern Naturalist*, 5(1), 75-82.
- Stewart, G. B., A. S. Pullin, and C. F. Coles. 2005. Effects of wind turbines on bird abundance. CEE review 04-002 (SR4), Collaboration for Environmental Evidence, Birmingham, UK.
- Stoddard, A., J.E. O'Reilly, T.E. Whiteledge, T.C. Malone, and J.F. Hebard. 1986. The Application and Development of a Compatible Historical Data Base for the Analysis of Water Quality Management Issues in the New York Bight. pp.1030-1035 in: *Oceans '86*, Vol. 3. Proceedings of a conference sponsored by the Marine Technology Society of the Institute of Electrical and Electronic Engineers. Washington, DC, Sept. 23-25, 1986. Institute of Electrical and Electronic Engineers, Piscataway, NJ.
- Stoffer, P. and P. Messina. 1996. Introduction to the History of the New York Bight. Available online at: <http://www.geo.hunter.cuny.edu/bight/geology.html>. Accessed November 2011.
- Stout, Bonnie E., and Gary L. Nuechterlein. 1999. Red-necked Grebe (*Podiceps grisegena*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/465>.
- Thompson, T. J., Winn, H. E. & Perkins, P. J. 1979. Mysticete sounds H. E. Winn and B. L. Olla (Eds.), *Behavior of Marine Animals* (Vol. 3: Cetaceans, pp. 403-431). New York: Plenum Press.
- Tourism Economics. 2012. The Economic Impact of Tourism in New York: 2012 Calendar Year. Online at: <http://www.governor.ny.gov/assets/documents/tourism/nys-tourism-impact-2012-v1.0.pdf>. Accessed 11 September 2013.

- Tracy, Diane M., Douglas Schamel and James Dale. 2002. Red Phalarope (*Phalaropus fulicarius*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/698>;doi:10.2173/bna.698.
- Transco (Transcontinental Gas Pipe Line Company). 2009. Resource Report 1, General Project Description, Rockaway Delivery Point Project – Draft Report. Transcontinental Gas Pipe Line Company, LLC. June 2009.
- Trapp, H. Jr. 1992. Hydrogeologic Framework of the Northern Atlantic Coastal Plain in Parts of North Carolina, Virginia, Maryland, Delaware, New Jersey, and New York – Regional Aquifer-System Analysis – Northern Atlantic Coastal Plain. USGS Professional Paper 1404-G.
- Troëng, S. & Rankin, E. 2005. Long-term conservation efforts contribute to positive green turtle *Chelonia mydas* nesting at Tortuguero, Costa Rica. Biological Conservation, 121, 111-116. doi:10.1016/j.biocon.2004.04.014
- Turtle Expert Working Group. 2007. An assessment of the leatherback turtle population in the Atlantic Ocean. (NOAA Technical Memorandum NMFS-SEFSC-555, pp. 116) U.S. Department of Commerce, NOAA.
- Tyrell, M. C. 2005. Gulf of Maine Marine Habitat Primer. Gulf of Maine Council on the Marine Environment.
- U.S. Census Bureau. 2013. American FactFinder. Online at: <http://factfinder2.census.gov/faces/nav/jsf/pages/index.xhtml>. Accessed 13 September 2013.
- USACE (United States Army Corps of Engineers). 1994. Section 7 consultation – biological assessment: sand mining by hopper dredge in the Sandy Hook Federal Navigation Project. USACE, New York District
- USACE. 2004. Environmental Assessment on Consolidated Implementation of the New York and New Jersey Harbor Deepening Project. 25 pp
- USACE. 2008. Dredged Material Management Plan for the Port of New York and New Jersey - Programmatic Environmental Impact Statement – PEIS Appendices – Volume II. August 2008.
- USACE. 2009. Hudson-Raritan Estuary – Comprehensive Restoration Plan Draft. U.S. Army Corps of Engineers, New York District, New York, NY.
- USCG (U.S. Coast Guard). 2006a. Final Environmental Impact Statement and MEPA Final Environmental Impact Report for Neptune, L.L.C. Liquefied Natural Gas Deepwater Port License Application. (USCG 2004-22611; MEPA EOEA Number 13641.). Available online at <http://www.uscg.mil/hq/cg5/cg522/cg5225/dwp.asp> under Docket Number USCG-2005-22611
- USCG. 2006b. Northeast Gateway Liquefied Natural Gas Deepwater Port License Application. Final Environmental Impact Statement Report. Available online at <http://www.uscg.mil/hq/cg5/cg522/cg5225/dwp.asp> under Docket Number USCG-2005-22219. pp 4-69 through 4-74.
- USCG. 2008. Final Environmental Impact Statement – Calypso LNG Deepwater Port License Application – Volume II Appendices – Appendix M – Sedimentation and Turbidity Report. July 2008.

- USCG. 2009. Port Dolphin LLC Deepwater Port License Final Environmental Impact Statement Report. Available online at <http://www.uscg.mil/hq/cg5/cg522/cg5225/dwp.asp> under Docket Number USCG-2007-28532. pp 4-195 through 4-206; 4-22 through 4-130.
- USCG. 2010. Coast Guard Civil Rights Manual. COMDTINST M5350.4C. May 2010. Online at http://www.uscg.mil/directives/cim/5000-5999/CIM_5350_4c.pdf. Accessed 22 September 2013.
- USCG. 2013a. Vessel Traffic Service New York. Homeport, United States Department of Homeland Security. Accessed September 2013 at https://homeport.uscg.mil/mycg/portal/ep/contentView.do?contentType=2&channelId=17383&contentId=134861&programId=12590&pageTypeId=16440&BV_
- USCG. 2013b. Maritime Transportation Security Act. Homeport, United States Department of Homeland Security. Accessed September 2013 at <https://homeport.uscg.mil/mycg/portal/ep/channelView.do?channelId=24885&channelPage=%2Fep%2Fchannel%2Fdefault.jsp&pageTypeId=13489>
- USCG and MARAD (U.S. Coast Guard and Maritime Administration). 2003. U.S. Coast Guard and Maritime Administration. 2003. Final Environmental Assessment of the El Paso Energy Bridge Gulf of Mexico L.L.C. Deepwater Port License Application. Docket No. USCG-2003-14294. November 2003.
- USCG and MARAD. 2006a. Draft Environmental Impact Statement for the Beacon Port Project. Docket No. USCG-2005-21232. February.
- USCG and MARAD. 2006b. Final Environmental Impact Statement for the Main Pass Energy Hub Deepwater Port License Application. Docket No. USCG-2004-17696. March.
- USCG and MARAD. 2006c. Final Environmental Impact Statement for the Compass Port LLC Deepwater Port License Application. Docket No. USCG-2004-17659. March.
- USDOT (U.S. Department of Transportation). 2004. Advisory Circular: Visual Flight Rules (VFR) Flight Near Noise-Sensitive Areas. AC No: 91-36D. Available online at: <http://www.faa.gov/airports/noise/ac91-36d.pdf>. Accessed on May 30, 2012.
- USEPA (U.S. Environmental Protection Agency). 1976. Quality Criteria for Water. U.S. Environmental Protection Agency, Office of Water and Hazardous Substances, Washington DC.
- USEPA. 1999. *Understanding Oil Spills And Oil Spill Response* [Electronic version]. (pp. 48) Office of Emergency and Remedial Response. Available from <http://www.epa.gov/osweroe1/content/learning/pdfbook.htm>
- USEPA. 2014. *Inventory of U.S. Greenhouse Gases and Sinks: 1990-2012*. Washington D.C. EPA 430-R-14-003. Accessed on September 22, 2014 at <http://www.epa.gov/climatechange/ghgemissions/usinventoryreport.html>
- USFWS (U.S. Fish and Wildlife Service). 1997. Significant Habitats and Habitat Complexes of the New York Bight Watershed. Southern New England – New York Bight Coastal Ecosystems Program. Charlestown, Rhode Island. Online at: http://training.fws.gov/library/pubs5/web_link/text/toc.htm
- USFWS. 1998. Roseate Tern (*Sterna dougallii*) Northeastern Population Recovery Plan [Report]. (pp. 75). Hadley, MA. Prepared by The Northeast Roseate Tern Recovery Team. Prepared for Northeast Region, US Fish and Wildlife Service. Retrieved from http://ecos.fws.gov/docs/recovery_plan/981105.pdf

- USFWS. 1999. Multi-Species Recovery Plan for South Florida, West Indian Manatee *Trichechus manatus*. www.fws.gov/verobeach/MSRPPDFs/WestIndianManatee.pdf. Accessed May 17, 2012
- USFWS. 2003a. 2001 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: New York. Revised March 2003. Online at: <http://www.census.gov/prod/2003pubs/01fhw/fhw01-ny.pdf>. Accessed 09 September 2013.
- USFWS. 2003b. 2001 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: New Jersey. Revised March 2003. Online at: <http://www.census.gov/prod/2003pubs/01fhw/fhw01-nj.pdf> Accessed 09 September 2013.
- USFWS. 2005. Red Knot (*Calidris canutus rufa*) Species Profile. In U. N. R. Office (Ed.) (Vol. 2011). Hadley, MA: USFWS.
- USFWS. 2008a. Birds of Conservation Concern 2008 [Report]. (pp. 85). Arlington, VA: United States Department of Interior, Fish and Wildlife Service. Prepared by D. o. M. B. M. United States Fish and Wildlife Service. Retrieved from <http://www.fws.gov/migratorybirds/>
- USFWS. 2008b. 2006 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: New York. Issued April 2008. Online at: <http://www.census.gov/prod/2008pubs/fhw06-ny.pdf>. Accessed 09 September 2013.
- USFWS. 2010. Caribbean Roseate Tern and North Atlantic Roseate Tern (*Sterna dougallii dougallii*) 5-Year Review: Summary and Evaluation. USFWS.
- USFWS. 2011. American eel (*Anguilla rostrata*) (Vol. 2011, pp. Species of Concern factsheet): U. S. Fish and Wildlife Service.
- USFWS. 2012. Kemp's Ridley Sea Turtle Factsheet. Retrieved from <http://www.fws.gov/northflorida/SeaTurtles/Turtle%20Factsheets/kemps-ridley-sea-turtle.htm>
- USFWS. 2013a. 2011 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: New York. Issued May 2013. Online at: <http://www.census.gov/prod/2013pubs/fhw11-ny.pdf>. Accessed 09 September 2013.
- USFWS. 2013b. 2011 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: New Jersey. Issued May 2013. Online at: <http://www.census.gov/prod/2013pubs/fhw11-nj.pdf>. Accessed 09 September 2013.
- USFWS and NMFS (U.S. Fish and Wildlife Service and National Marine Fisheries Service). 2007. Green Sea Turtle (*Chelonia mydas*) 5-year review: Summary and Evaluation. (pp. 102). Silver Spring, MD: National Marine Fisheries Service
- USGS (United States Geological Survey). 2000. Seafloor Characterization Offshore of the New York-New Jersey Metropolitan Area Using Sidescan-Sonar. Available online at: <http://pubs.usgs.gov/of/2000/of00-295/report.htm>.
- USGS. 2003. Geology of the New York City Region A Preliminary Regional Field-Trip Guidebook. <http://3dparks.wr.usgs.gov/nyc/index.html>
- USGS. 2008. Conterminous USA Seismic Hazard Map. Available online at: <http://eqhazmaps.usgs.gov>. Accessed November 2011.
- USGS. 2009. U.S. Geological Survey Studies in the New York Bight, Geologic Background. Available at: <http://woodshole.er.usgs.gov/project-pages/newyork/geologicbkgrnd.html>.

- USGS. 2011. Magnitude 5.8 – Virginia. Available online at: <http://earthquake.usgs.gov/earthquakes/eqinthenews/2011/se082311a/#details>. Accessed September 20, 2011.
- Viking Fleet. 2013. Viking Fleet Website. Accessed September 2013 at <http://www.vikingfleet.com/>
- Wainwright, P. C. & Richard, B. A. 1995. Predicting patterns of prey use from morphology of fishes. *Environmental Biology of Fishes*, 44(1-3), 97-113.
- Walker, W. A. & Coe, J. M. 1990. Survey of marine debris ingestion by odontocete cetaceans. In R. S. Shomura and H. L. Godfrey (Eds.), *Proceedings of the Second International Conference on Marine Debris*, 2-7 April 1989. Honolulu, Hawaii. (NOAA Technical Memorandum NOAA-TM-NMFS-SWFSC-154, pp. 747-774) U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- Waring, G. T., Josephson, E., Maze-Foley, K. & Rosel, P. E. (Eds.). 2009. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2009 [Technical Memorandum]. (NMFS NE 213, pp. 528). Woods Hole, MA: NOAA Retrieved from <http://www.nefsc.noaa.gov/nefsc/publications/tm/tm213/index.html>
- Waring, G. T., Josephson, E., Maze-Foley, K. & Rosel, P. E. (Eds.). 2013. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2012 [Technical Memorandum]. (NMFS NE 219, pp. 425). Woods Hole, MA: National Oceanic and Atmospheric Administration Retrieved from <http://www.nmfs.noaa.gov/pr/sars/region.htm>
- Waring, G. T., Josephson, E., Maze-Foley, K. & Rosel, P. E. (Eds.). 2012. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2011 [Technical Memorandum]. (NMFS NE 219, pp. 425). Woods Hole, MA: National Oceanic and Atmospheric Administration
- Waring, G. T., Pace, R. M., Quintal, J. M., Fairfield, C. P. & Maze-Foley, K. (Eds.). 2004. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2003. (NOAA Technical Memorandum NMFS-NE-182, pp. 287). Woods Hole, MA: National Oceanic and Atmospheric Administration and National Marine Fisheries Service.
- Watkins, W. A. 1980. Acoustics and the behavior of Sperm Whales R. G. Busnel and J. F. Fish (Eds.), *Animal Sonar Systems* (pp. 283-290). New York: Plenum Press.
- Watkins, W.A. 1986. Whale Reactions to Human Activities in Cape Cod Waters. *Marine Mammal Science*. Volume 2, Issue 4, pages 251–262, October 1986.
- Watkins, W.A. and W.E. Schevill. 1976. Right whale feeding and baleen rattle. *J Mammal* 57:58–66.
- Watts, P. & Gaskin, D. E. 1985. Habitat index analysis of the harbor porpoise (*Phocoena phocoena*) in the southern coastal Bay of Fundy, Canada. *Journal of Mammalogy*, 66(4), 733-744.
- Waugh, S. M., Filippi, D. P., Kirby, D. S., Abraham, E. & Walker, N. 2012. Ecological Risk Assessment for seabird interactions in Western and Central Pacific longline fisheries. *Marine Policy*, 36(4), 933-946. doi:10.1016/j.marpol.2011.11.005
- Weimerskirch, H. 2004. Diseases threaten Southern Ocean albatrosses. [Electronic version]. *Polar Biology*, 27, 374-379. doi: 10.1007/s00300-004-0600-x
- Wells, R. S. & Scott, M. D. 2008. Common bottlenose dolphin *Tursiops truncatus*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), *Encyclopedia of Marine Mammals* (Second Edition) (pp. 249-255). Academic Press.

- Welsh, S. A., Mangold, M. F., Skjeveland, J. E. & Spells, A. J. 2002. Distribution and movement of shortnose sturgeon (*Acipenser brevirostrum*) in the Chesapeake Bay. *Estuaries*, 25(1), 101-104.
- Wenz, G.M. 1962. Acoustic ambient noise in the ocean: Spectra and sources. *Journal of the Acoustical Society of America*, 34 (12), 1936-1956.
- Westgate, A. J. & Read, A. J. 1998. Applications of new technology to the conservation of porpoises. *Marine Technology Society Journal*, 32, 70-81.
- Wheeler, R.L., N.K. Trevor, A.C. Tarr, and A.J Crone. 2001. Earthquakes in and near the Northeastern United States 1638 – 1998. USGS 2001. Map Scale: 1:1,500,000.
- White, Clayton M., Nancy J. Clum, Tom J. Cade and W. Grainger Hunt. 2002. Peregrine Falcon (*Falco peregrinus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/660doi:10.2173/bna.660>
- Whitehead, H. 2003. Sperm Whales: Social Evolution in the Ocean (pp. 431). University of Chicago Press.
- Whitehead, H. 2008. Sperm whale *Physeter macrocephalus*. In W. F. Perrin, B. Wursig and J. G. M. Thewissen (Eds.), *Encyclopedia of Marine Mammals* (Second Edition) (pp. 1091-1097). Academic Press.
- Whitehead, H., Brennan, S. & Grover, D. 1992. Distribution and behaviour of male sperm whales on the Scotian shelf. *Canadian Journal of Zoology*, 70, 912-918.
- Wilber D.H. and D.G. Clarke. 2001. Biological effects of suspended sediments: a review of suspended sediment impacts on fish and shellfish with relation to dredging activities in estuaries. *North American Journal of Fisheries Management* 21(4):855-75.
- Wilber, D., D. Clarke, D. Davis, S. Zappala, L. Csoboth, C. Mulvey, A.M. Dilorenzo, and J. Gallo. 2012. An Evaluation of Winter Flounder Essential Fish Habitat Designation in New York / New Jersey Harbor. Presented at the ASCE Dredging 2012 Conference, San Diego, CA, 22-25 October 2012
- Wiley, Haven R. and David S. Lee. 2000. Pomarine Jaeger (*Stercorarius pomarinus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/483doi:10.2173/bna.483>.
- Williams, K. A. 2013. Modeling Wildlife Densities and Habitat Use Across Temporal and Spatial Scales on the Mid-Atlantic Continental Shelf: Annual Report for the First Budget Period. Report to the DOE EERE Wind & Water Power Program. Award Number: DE-EE0005362. Report BRI 2013-10, Biodiversity Research Institute, Gorham, Maine. 69 pp.
- Wilson M., R.T. Hanlon, P.L. Tyack, and P.T. Madsen. 2007. Intense ultrasonic clicks from echolocating toothed whales do not elicit anti-predator responses or debilitate the squid *Loligo pealeii*. *Biol Lett-(UK)* 3:225- 227.doi:10.1098/rsbl.2007.0005
- Wynne, K. and M. Schwartz. 1999. Marine Mammals and Turtles of the U.S. Atlantic and Gulf of Mexico. Rhode Island Sea Grant. Narragansett, Rhode Island. 114 pp
- Young, G.A. 1991. Concise methods for predicting the effects of underwater explosions on marine life. NAVSWC NO 91-220. Naval Surface Warfare Center. Silver Spring, Maryland.

Zhao, K., Wen, J., Gu, T., Kopliku, A. 2008. Mechanistic Modeling of Anaerobic THPS Degradation in Seawater Under Various Conditions Nace Corrosion Conference Paper No. 08512.

Zollett, E. A. 2009. Bycatch of protected species and other species of concern in U.S. east coast commercial fisheries. *Endangered Species Research*, 9(1), 49-59. doi:10.3354/esr00221